FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

M30-519
IDENTIFICATION NUMBER

COMMANDED BY

_____, U. S. N.

Attached to _____ Division,
_____ Squadron,
_____ Flotilla,
_____ Fleet,
_____ Naval District,

Commencing 1 MAY (zone time and date), 1963,

at _____ (location),

and ending 31 MAY (zone time and date), 1963,

at _____ (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 1 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	9	8	OVC	29.94	68	67	10	1600	NS/AC	—	—	—
02	040	9	8	CLR	29.94	67	66	—	—	—	—	—	—
03	050	12	8	CLR	29.95	66	64	—	—	—	—	—	—
04	050	12	8	CLR	29.95	65	64	—	—	—	—	—	—
05	050	12	8	CLR	29.95	65	64	—	—	—	—	—	—
06	050	12	10	SCT	29.95	66	64	5	~~1500~~	AC	—	—	—
07	050	12	10	OVC	30.06	64	63	10	4500	AC	—	—	—
08	050	12	10	OVC	30.07	65	64	10	4500	AC	—	—	—
09	050	13	10	OVC	30.08	65	64	10	4500	AC	—	—	—
10	060	11	10	OVC	30.09	63	62	10	4500	AC	—	—	—
11	060	11	10	OVC	30.06	61	60	10	4500	AC	—	—	—
12	060	12	10	OVC	30.06	65	63	10	4500	AC	—	—	—
13	060	12	10	OVC	30.06	65	63	10	4500	AC	—	—	—
14	060	12	10	OVC	30.06	65	63	10	4500	AC	—	—	—
15	060	12	10	OVC	30.04	67	65	10	4500	AC	—	—	—
16	060	11	10	OVC	30.05	67	65	10	4500	AC	—	—	—
17	060	11	10	OVC	30.05	69	67	10	4500	AC	—	—	—
18	060	11	10	OVC	30.05	71	69	10	4500	AC	—	—	—
19	060	11	10	OVC	30.05	71	67	10	4500	AC	—	—	—
20	—	—	10	CLR	30.07	76	68	—	—	—	—	—	—
21	—	—	10	CLR	30.09	74	68	—	—	—	—	—	—
22	—	—	10	CLR	30.10	72	69	—	—	—	—	—	—
23	—	—	10	CLR	30.12	70	69	—	—	—	—	—	—
24	—	—	10	CLR	30.14	62	60	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0000-0004 MOORED STARBOARD SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO. SAVANNAH GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMODORE IS IN THIS SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS VI WITH MATERIAL CONDITION YOKE SET.

W. F. Gill LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE

W. F. Gill LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Long, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 WEDNESDAY 4 DAY 4 MONTH 19 63
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE.

J. H. King
Ensign USNR

1200-1600 MOORED AS BEFORE.

J. H. King
Ensign USNR

1600-2000 MOORED AS BEFORE.

J. H. King
Ensign USNR

2000-2400 MOORED AS BEFORE.

J. H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G. A. Faris LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 2 (Date) MAY (Month), 19 62

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	3	10	CLR	30.12	57	57	—	—	—	—	—	—
02	270	3	10	CLR	30.10	55	53	—	—	—	—	—	—
03	280	3	10	CLR	30.10	57	55	—	—	—	—	—	—
04	280	4	10	CLR	30.11	57	55	—	—	—	—	—	—
05	280	4	10	CLR	30.11	57	55	—	—	—	—	—	—
06	280	4	10	CLR	30.11	57	55	—	—	—	—	—	—
07	280	4	10	CLR	30.20	57	55	—	—	—	—	—	—
08	280	4	10	CLR	30.20	57	55	—	—	—	—	—	—
09	280	4	10	CLR	30.20	57	55	—	—	—	—	—	—
10	280	4	10	CLR	30.24	63	61	—	—	—	—	—	—
11	280	4	10	CLR	30.24	64	62	—	—	—	—	—	—
12	145	4	10	CLR	30.24	66	63	—	—	—	—	—	—
13	145	10	10	CLR	30.21	70	65	—	—	—	—	—	—
14	145	6	10	CLR	30.20	70	65	—	—	—	—	—	—
15	145	6	10	CLR	30.18	72	66	—	—	—	—	—	—
16	145	5	10	SCT	30.17	74	70	4	20,000	CI	—	—	—
17	150	3	10	SCT	30.18	75	70	3	20,000	CI	—	—	—
18	155	5	10	SCT	30.18	79	73	2	20,000	CI	—	—	—
19	155	4	10	SCT	30.18	69	67	2	20,000	CI	—	—	—
20	155	4	9	CLR	30.18	67	64	—	—	—	—	—	—
21	155	4	9	CLR	30.18	65	63	—	—	—	—	—	—
22	155	4	9	CLR	30.18	65	63	—	—	—	—	—	—
23	155	4	9	CLR	30.20	62	60	—	—	—	—	—	—
24	155	4	9	CLR	30.21	62	60	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH THREE AT SAVANNAH MACHINE & FOUNDRY CO., SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMMODORE IN THIS SHIP. SHIPS PRESENT INCLUDE U.S.S. ACUAC (MSO-468) AND U.S.S. CHEWAUCAN (AOG 50). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH CONDITION YOKE MODIFIED SET.

T. A. King
Ensign USNR

04-08 MOORED AS BEFORE.

T. A. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) ~~FRIDAY~~ THURSDAY (Day) ~~3~~ 2 (Date) ~~3~~ MAY (Month) 19 63

0800 - 1200 MOORED AS BEFORE. 0900 QUARTERS FOR MUSTER. ABSENTEES - NONE.

J. B. Marks
ENS USNR

1200 - 1600 MOORED AS BEFORE.

J. B. Marks
ENS, USNR

1600 - 2000 MOORED AS BEFORE

J. B. Marks
ENS. USNR

2000 - 2400 MOORED AS BEFORE

J. B. Marks
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE FRIDAY (Day) 3 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	4	6	CLR	30.19	60	58	—	—	—	—	—	—
02	110	4	6	CLR	30.18	60	58	—	—	—	—	—	—
03	110	4	6	CLR	30.17	60	58	—	—	—	—	—	—
04	110	4	10	CLR	30.18	58	55	—	—	—	—	—	—
05	—	—	10	CLR	30.18	58	55	—	—	—	—	—	—
06	340	3	9	SCT	30.19	58	55	5	4500	AC/CI	—	—	—
07	350	4	9	SCT	30.21	58	55	5	4500	AC/CI	—	—	—
08	350	8	10	BKN	30.23	59	56	7	4500	AC	—	—	—
09	350	8	10	BKN	30.24	66	58	8	4500	AC	—	—	—
10	110	10	10	BKN	30.25	68	59	8	4500	AC	—	—	—
11	095	9	10	BKN	30.25	70	61	7	4500	AC/CU	—	—	—
12	095	8	10	BKN	30.24	71	62	7	4500	AC/CU	—	—	—
13	095	6	10	BKN	30.23	73	63	7	4500	AC/CU	—	—	—
14	095	7	10	BKN	30.22	73	64	8	4500	AC/CU	—	—	—
15	095	6	10	BKN	30.21	73	64	8	4500	AC/CU	—	—	—
16	095	6	10	BKN	30.21	73	64	8	4500	AC/CU	—	—	—
17	095	5	10	BKN	30.21	73	64	8	4500	AC/CU	—	—	—
18	095	5	10	CLR	30.20	70	63	—	—	—	—	—	—
19	095	3	10	CLR	30.20	68	62	—	—	—	—	—	—
20	095	3	10	CLR	30.19	66	61	—	—	—	—	—	—
21	240	3	10	CLR	30.20	65	60	—	—	—	—	—	—
22	245	3	10	CLR	30.20	62	57	—	—	—	—	—	—
23	245	3	10	CLR	30.20	61	57	—	—	—	—	—	—
24	245	5	10	CLR	30.20	60	56	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0000 - 0400 MOORED STARBOARD SIDE TO BERTH THREE AT SAVANNAH MACHINE & FOUNDRY CO., SAVANNAH, GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMINDIV 85, CDR. G.A. HERBERT, USN EMBARKED IN THIS SHIP. SHIPS PRESENT INCLUDE USS RIVAL (MSO-468) AND USS CHEWAUCAN (AOG-50). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

T. B. Marks
ENS USNR

0400-0800 MOORED AS BEFORE 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE

T. B. Marks
ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G.O. Fare, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 3 (Date) MAY (Month), 19 63

0800-1200 MOORED AS BEFORE.

W B Friedl LTJG USNR

1200-1600 MOORED AS BEFORE.

W B Friedl LTJG USNR.

1600-2000 MOORED AS BEFORE.

W B Friedl LTJG USNR

2000-2400 MOORED AS BEFORE

W B Friedl LTJG USNR.

APPROVED: T Kinnaird U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SATURDAY (Day) 4 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	4	10	CLR	30.18	60	58	—	—	—	—	—	—
02	245	6	10	CLR	30.17	59	57	—	—	—	—	—	—
03	245	8	10	SCT	30.16	58	56	3	4500	AC	—	—	—
04	230	4	10	CLR	30.16	56	54	—	—	—	—	—	—
05	230	10	10	CLR	30.18	54	52	—	—	—	—	—	—
06	230	8	10	BKN	30.18	52	50	6	1600	CU	—	—	—
07	230	7	10	BKN	30.18	52	50	6	1600	CU	—	—	—
08	230	7	10	BKN	30.19	52	50	6	1600	CU	—	—	—
09	230	6	10	SCT	30.20	54	52	4	1600	CU	—	—	—
10	230	5	10	SCT	30.21	66	54	4	1600	CU	—	—	—
11	230	5	10	SCT	30.21	58	56	4	1600	CU	—	—	—
12	230	4	10	SCT	30.20	60	57	4	1600	CU	—	—	—
13	—	—	10	SCT	30.18	64	59	4	1600	CU	—	—	—
14	—	—	10	SCT	30.17	70	59	4	1600	CU	—	—	—
15	230	2	10	SCT	30.16	76	61	4	1600	CU	—	—	—
16	230	4	10	SCT	30.14	75	65	4	1600	CU	—	—	—
17	230	4	10	SCT	30.12	72	63	4	1600	CU	—	—	—
18	230	4	10	SCT	30.12	73	63	3	1600	CU	—	—	—
19	230	4	10	SCT	30.12	69	62	3	1600	CU	—	—	—
20	230	4	10	SCT	30.12	68	63	3	1600	CU	—	—	—
21	230	4	10	SCT	30.12	66	60	3	1600	CU	—	—	—
22	230	4	10	SCT	30.12	65	55	3	1600	CU	—	—	—
23	230	4	10	SCT	30.13	63	55	3	1600	CU	—	—	—
24	230	4	10	SCT	30.10	63	59	3	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO BERTH #3 AT SAVANNAH MACHINE AND FOUNDRY COMPANY, SAVANNAH GEORGIA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS COMINDIV 8S, CDR HERBERT, USN, EMBARKED IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

W.B. Sewell LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION, ABSENTEES, NONE.

W.B. Sewell LTJG USNR.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Ford, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 4 (Date) MAY (Month), 19 63

08-12 MOORED AS BEFORE.

J. B. ~~MARKS~~ JBM Marks
ENS, USNR

12-16 MOORED AS BEFORE.

J. B. Marks
ENS USNR

16-20 MOORED AS BEFORE.

J. B. Marks
ENS USNR

20-24 MOORED AS BEFORE.

J. B. Marks
ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SUNDAY (Day) 5 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	3	F	30.04	54	52	—	—	—	—	—	—
02	—	—	3	F	30.05	54	52	—	—	—	—	—	—
03	110	4	2	F	30.06	53	54	—	—	—	—	—	—
04	110	4	2	F	30.06	56	54	—	—	—	—	—	—
05	110	2	5	F	30.08	57	54	—	—	—	—	—	—
06	110	2	6	H	30.08	56	55	—	—	—	—	—	—
07	110	2	5	H	30.00	56	54	—	—	—	—	—	—
08	110	2	5	CLR	30.03	60	58	—	—	—	—	—	—
09	110	2	5	CLR	30.03	63	58	—	—	—	—	—	—
10	110	2	6	CLR	30.08	70	60	—	—	—	—	—	—
11	110	2	5	CLR	30.10	73	62	—	—	—	—	—	—
12	110	2	10	CLR	30.08	76	62	—	—	—	—	—	—
13	110	2	10	CLR	30.00	78	64	—	—	—	—	—	—
14	110	2	10	CLR	30.04	80	65	—	—	—	—	—	—
15	110	4	10	CLR	30.02	82	65	—	—	—	—	—	—
16	110	4	10	CLR	29.96	83	65	—	—	—	—	—	—
17	110	3	10	CLR	29.96	83	68	—	—	—	—	—	—
18	115	3	10	CLR	29.94	84	68	—	—	—	—	—	—
19	115	3	10	CLR	29.94	79	68	—	—	—	—	—	—
20	115	3	10	CLR	29.94	72	67	—	—	—	—	—	—
21	115	3	10	CLR	29.94	75	67	—	—	—	—	—	—
22	115	3	10	CLR	29.94	74	66	—	—	—	—	—	—
23	115	3	10	CLR	29.94	72	65	—	—	—	—	—	—
24	115	3	10	CLR	29.94	72	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED PORT SIDE TO PIER THREE AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS C.A. HERBERT CDR USN, COMINDIV 55 EMBARKED IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE USS RIVAL (MSO-468) AND USS CHEWAUCAN (AOG-50) AND MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

J. B. Marks
ENS, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION: ABSENTEES; NONE.

J. B. Marks
ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 5 (Date) MAY (Month), 19 63

0 8 - 12 MOORED AS BEFORE.

J. B. Marks
ENS USNR

12 - 16 MOORED AS BEFORE.

J. B. Marks
ENS USNR

16 - 20 MOORED AS BEFORE.

J. B. Marks
ENS USNR

20 - 24 MOORED AS BEFORE.

J. B. Marks
ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fuse LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE MONDAY (Day) 6 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	2	10	CLR	29.94	70	64	—	—	—	—	—	—
02	160	2	10	CLR	29.94	70	64	—	—	—	—	—	—
03	160	2	10	CLR	29.94	69	63	—	—	—	—	—	—
04	160	2	10	CLR	29.94	68	63	—	—	—	—	—	—
05	270	2	10	CLR	29.94	66	61	—	—	—	—	—	—
06	270	2	10	SCT	29.94	65	60	2	20,000	CI	—	—	—
07	270	2	10	SCT	29.94	67	61	2	20,000	CI	—	—	—
08	260	2	10	SCT	29.98	70	63	3	1600	CU	—	—	—
09	260	2	10	SCT	30.00	75	66	3	1600	CU	—	—	—
10	260	2	10	SCT	29.98	76	68	4	1600	CU	—	—	—
11	—	—	10	SCT	29.99	82	69	4	1600	CU	—	—	—
12	260	2	10	SCT	29.99	88	68	2	20,000	CI	—	—	—
13	260	4	10	SCT	29.97	85	70	2	20,000	CI	—	—	—
14	260	4	10	SCT	29.98	85	70	2	20,000	CI	—	—	—
15	220	6	10	SCT	29.97	83	68	2	20,000	CI	—	—	—
16	180	6	10	SCT	29.97	80	67	2	20,000	CI	—	—	—
17	180	8	10	CLR	29.95	78	66	—	—	—	—	—	—
18	180	8	10	CLR	29.96	77	65	—	—	—	—	—	—
19	180	8	10	CLR	29.98	75	66	—	—	—	—	—	—
20	180	8	10	CLR	29.99	75	66	—	—	—	—	—	—
21	180	5	10	CLR	29.99	74	66	—	—	—	—	—	—
22	—	—	10	CLR	30.00	74	65	—	—	—	—	—	—
23	—	—	10	CLR	30.00	72	67	—	—	—	—	—	—
24	—	—	10	CLR	30.00	72	67	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: —

FUEL CONSUMED 0000-2400: —

REMARKS

0Φ-Φ4 MOORED PORT SIDE TO PIER THREE AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA WITH FOUR STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS C. A. HERBERT CDR, USN, COMINDIV 85, EMBARKED IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE USS RIVAL (MSO-468) AND USS CHEWAUCAN (AOG-54) AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II AND MATERIAL CONDITION YOKE IS SET.

T. B. Marks
ENS USNR

Φ4-Φ8 MOORED AS BEFORE. Φ745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

T. B. Marks
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: O. A. Fore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Monday (Day) 6 (Date) May (Month) 19 63

0800-1200 MOORED AS BEFORE.

B J Taylor Jr.
ENS. USN

1200-1600 MOORED AS BEFORE.

B J Taylor Jr.
ENS. USN

1600-2000 MOORED AS BEFORE.

B J Taylor Jr.
ENS. USN

2000-2400 MOORED AS BEFORE.

B J Taylor Jr.
ENS. USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.O. Frost LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 7 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO —

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	30.00	69	66	—	—	—	—	—	—
02	—	—	10	CLR	30.00	69	66	—	—	—	—	—	—
03	—	—	10	CLR	30.01	68	66	—	—	—	—	—	—
04	180	3	10	CLR	30.01	68	66	—	—	—	—	—	—
05	180	3	10	CLR	30.01	68	66	—	—	—	—	—	—
06	—	—	2	H	30.01	68	66	—	—	—	—	—	—
07	—	—	3	H	30.05	69	67	—	—	—	—	—	—
08	—	—	10	CLR	30.07	70	67	—	—	—	—	—	—
09	—	—	10	CLR	30.08	72	67	—	—	—	—	—	—
10	—	—	10	CLR	30.10	73	68	—	—	—	—	—	—
11	—	—	10	CLR	30.11	76	69	—	—	—	—	—	—
12	270	7	10	CLR	30.12	77	70	—	—	—	—	—	—
13	270	7	10	CLR	30.12	78	71	—	—	—	—	—	—
14	270	7	10	CLR	30.12	76	70	—	—	—	—	—	—
15	270	7	10	CLR	30.12	76	69	—	—	—	—	—	—
16	130	6	10	SCT	30.10	76	68	2	1600	CU	—	—	—
17	130	6	10	SCT	30.10	74	64	2	1600	CU	—	—	—
18	130	6	10	SCT	30.10	73	68	5	1600	CU	—	—	—
19	—	—	10	BKN	30.11	72	68	6	1600	CU	—	—	—
20	—	—	10	CLR	30.12	71	68	—	—	—	—	—	—
21	—	—	10	CLR	30.13	71	68	—	—	—	—	—	—
22	—	—	10	CLR	30.14	71	68	—	—	—	—	—	—
23	—	—	10	CLR	30.14	70	67	—	—	—	—	—	—
24	130	3	10	CLR	30.15	70	67	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 —

REMARKS

0000 MOORED PORT SIDE TO BERTH 3 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: C.A. HERBERT, CMDR., COMMODORE IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS C WITH MATERIAL CONDITION YOKE SET.

B J Murphy Jr
ENS. USNR

0000-0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS, ABSENTEES NONE.

B J Murphy Jr
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Faro, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-574 TUESDAY (Day) 7 (Date) MAY (Month) 1963

0800-1200 MOORED AS BEFORE. 1435 SHIFTED MOORINGS FROM PORT SIDE TO PIER TO STARBOARD SIDE TO U.S.S. CARE WHICH (DOCKED).

J. H. King
Ensign USNR

1200-1600 MOORED AS BEFORE.

J. H. King
Ensign USNR

1600-2400 MOORED AS BEFORE.

J. H. King
Ensign USNR

2000-2400 MOORED AS BEFORE.

J. H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. O. Fiore, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 8 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	3	10	CLR	30.15	70	67	—	—	—	—	—	—
02	130	3	10	CLR	30.16	70	67	—	—	—	—	—	—
03	130	3	10	CLR	30.14	71	66	—	—	—	—	—	—
04	130	3	10	CLR	30.12	71	67	—	—	—	—	—	—
05	150	2	10	CLR	30.18	70	66	—	—	—	—	—	—
06	150	2	10	SCT	30.18	70	65	2	1600	CU	—	—	—
07	150	3	10	SCT	30.19	71	66	2	1600	CU	—	—	—
08	175	9	10	SCT	30.20	76	70	4	1600	CU	—	—	—
09	200	10	10	SCT	30.22	82	74	5	1600	CU	—	—	—
10	185	20	10	BKN	30.20	81	72	7	1600	CU	—	—	—
11	160	20	10	BKN	30.19	80	71	8	1600	CU	71	—	—
12	155	15	10	BKN	30.19	80	72	7	1600	CU	73	—	—
13	150	18	10	CLR	30.18	79	72	—	—	—	73	—	—
14	140	18	10	CLR	30.17	78	71	—	—	—	73	—	—
15	130	8	10	CLR	30.15	78	72	—	—	—	73	110	1
16	135	9	10	CLR	30.12	75	70	—	—	—	73	110	1
17	120	6	10	CLR	30.12	75	70	—	—	—	73	110	1
18	120	4	10	CLR	30.11	75	70	—	—	—	73	110	1
19	235	7	10	CLR	30.10	74	70	—	—	—	73	—	—
20	240	7	10	CLR	30.10	74	69	—	—	—	73	—	—
21	250	15	10	CLR	30.12	74	69	—	—	—			
22	250	15	10	CLR	30.12	74	69	—	—	—			
23	250	15	10	CLR	30.12	73	68	—	—	—			
24	250	15	10	CLR	30.14	72	68	—	—	—			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 11.63

FUEL CONSUMED 0000-2400: 1049

REMARKS

0⁰-04 MOORED STARBOARD SIDE TO U.S.S. CHEWAUCAN (AOG-52) AT SAVANNAH MACHINE & FOUNDRY CO., SAVANNAH, GEORGIA WITH STANDARD MOORING LINES DOUBLED TO U.S.S. CHEWAUCAN. SUPPLY C.A. HERBERT, CHMSS, COR. USN. IN THIS SHIP. SHIPS PRESENT EXCLUDE U.S.S. KIOWA (AMSO-468). RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MODIFIED CONDITION X/ORE SET.

J.H. King
Ensign USNR

0⁴-0⁸ MOORED AS BEFORE. ~~[illegible]~~ MUSTERED THE CREW AT ALL QUARTERS. ABSENTEES: NONE.

J.H. King
Ensign USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.O. Fors Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE (ITH 450-519 WEDNESDAY 8 APRIL 1963
(Day) (Date) (Month)

0800-12 ~~STEAMING~~ MOORED AS BEFORE 0851 SOUNDED SEA DETAIL AND MADE ALL NECESSARY PREPARATIONS FOR GETTING UNDERWAY. DRAFT FWD 11'2", AFT 16'10". CAPT AND NAVIGATOR ARE ON THE BRIDGE. 0852 PILOT ABOARD - MR. EDELMAN 0944 UNDERWAY FROM ALONGSIDE THE USS CHEHAW CAN FOR SEA TRIALS. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF SAVANNAH RIVER.

W. H. Trimble LTJG USNR

1203
1200-16 STEAMING AS BEFORE. ↑ C/C TO 118°T. 1209 C/C TO 100°T. 1212 C/S TO 6.0 KTS. C/C TO 065°T. 1218 C/C TO 090°T. 1225 C/S TO 12.0 KTS. 1303 C/C TO 065°T. 1329 C/C TO 090°T. 1340 C/C TO 095°T. 1413 COMMENCED FULL POWER RUN. 1447 C/C TO 270°T

B D Taylor Jr
ENS. USNR

1600-2400 STEAMING AS BEFORE. 1625 SECURED FROM FULL POWER RUN. SET 265 R.P.M. SECURED FROM SEA TRIALS. 1726 C/C 270°T, SECURED WATERTIGHT WATCH, SET SPECIAL SEA DETAIL. 1728 C/C TO 285°T. 1740 SET 245 R.P.M. 1745 PILOT ABOARD. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1752 C/C 299°T. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS CONFORMING TO CHANNEL INTO SAVANNAH, GEORGIA.

J. W. King
Ensign USNR

2400-2400 STEAMING AS BEFORE 2439 MANEUVERED TO THE PIER AT SAVANNAH MORELINE & FOUNDRY. 2445 MOORED PORT SIDE TO PIER. 2545 SECURED SPECIAL SEA DETAIL. SET NORMAL INPORT WATCH.

B D Taylor Jr.
ENS. USNR

APPROVED: B D Taylor Jr U.S.N. COMMANDING

EXAMINED: A O Ferris, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 9 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	215	9	10	CLR	30.13	72	69	—	—	—	—	—	—
02	215	10	10	CLR	30.12	71	68	—	—	—	—	—	—
03	215	10	10	CLR	30.12	70	67	—	—	—	—	—	—
04	215	10	10	CLR	30.12	70	67	—	—	—	—	—	—
05	215	10	10	CLR	30.12	68	66	—	—	—	—	—	—
06	215	10	10	CLR	30.11	68	66	—	—	—	—	—	—
07	215	10	10	CLR	30.11	80	70	—	—	—	—	—	—
08	215	10	10	CLR	30.11	80	70	—	—	—	—	—	—
09	215	10	10	CLR	30.11	82	71	—	—	—	—	—	—
10	215	10	10	CLR	30.11	82	75	—	—	—	—	—	—
11	215	10	10	CLR	30.11	88	75	—	—	—	—	—	—
12	215	10	10	CLR	30.11	90	75	—	—	—	—	—	—
13	215	10	10	CLR	30.13	91	75	—	—	—	—	—	—
14	215	10	10	CLR	30.11	92	75	—	—	—	—	—	—
15	215	10	10	CLR	30.10	92	75	—	—	—	—	—	—
16	220	9	10	SCT	30.10	91	75	5	1600	CU	—	—	—
17	225	10	9	SCT	30.09	89	74	4	1600	CU	—	—	—
18	225	11	9	SCT	30.09	87	73	4	1600	CU	—	—	—
19	225	11	9	BKN	30.08	85	72	6	4500	AC/CO	—	—	—
20	225	12	9	BKN	30.06	83	71	8	4500	AC	—	—	—
21	215	9	9	CLR	30.08	81	71	—	—	—	—	—	—
22	215	9	9	CLR	30.08	81	71	—	—	—	—	—	—
23	215	9	9	CLR	30.08	81	71	—	—	—	—	—	—
24	225	8	9	CLR	30.08	81	71	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0⌀ - 0⌀ MOORED PORT SIDE TO OUTFITTING PIER AT THE SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH GEORGIA USING STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS CO. USS RIVAL (MSO 468), LCDR MASHAW. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

W.H. Hall LTJG USNR

0⌀ - 0⌀ MOORED AS BEFORE. 0⌀⌀⌀ MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B.D. Jay Jr
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Faire LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURSDAY (Day) 9 (Date) MAY (Month) 19 63

08-12 MOORED AS BEFORE.

W B Sidell LTJG USNR.

12-16 MOORED AS BEFORE.

W B Sidell LTJG USNR.

16-20 MOORED AS BEFORE

W B Sidell LTJG USNR

20-24 MOORED AS BEFORE.

W B Sidell LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Fore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE FRIDAY (Day) 10 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA TO CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	5	10	CLR	30.06	73	70	—	—	—	—	—	—
02	210	5	10	CLR	30.06	74	70	—	—	—	—	—	—
03	210	5	10	CLR	30.06	74	70	—	—	—	—	—	—
04	230	5	10	CLR	30.06	74	67	—	—	—	—	—	—
05	230	5	10	CLR	30.04	74	68	—	—	—	—	—	—
06	230	8	10	SCT	30.05	73	68	2	4500	ST	—	—	—
07	250	10	10	SCT	30.07	74	68	3	4500	AC	—	—	—
08	250	10	10	SCT	30.07	79	72	3	4500	AC	—	—	—
09	250	10	10	SCT	30.08	83	72	2	4500	AC	—	—	—
10	250	10	10	SCT	30.08	84	73	2	4500	AC	—	—	—
11	250	10	10	SCT	30.08	87	73	2	4500	AC	—	—	—
12	250	10	10	SCT	30.08	89	72	2	4500	AC	—	—	—
13	250	10	10	SCT	30.06	88	72	2	4500	AC	—	—	—
14	250	10	10	SCT	30.04	88	72	3	4500	AC	—	—	—
15	250	10	10	SCT	29.97	91	74	3	4500	AC/CU	—	—	—
16	200	5	10	SCT	29.95	92	74	3	4500	AC	71	—	—
17	185	6	10	CLR	29.94	90	73	—	—	—	71	—	—
18	135	7	10	CLR	29.93	84	73	—	—	—	75	—	—
19	130	7	10	CLR	29.93	76	72	—	—	—	75	—	—
20	130	8	10	CLR	29.93	76	72	—	—	—	75	—	—
21	130	7	10	CLR	29.91	75	71	—	—	—	75	—	—
22	130	7	10	CLR	29.91	74	70	—	—	—	75	—	—
23	140	7	10	CLR	29.90	74	70	—	—	—	75	—	—
24	160	7	10	CLR	29.89	74	70	—	—	—	75	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 47.87

FUEL CONSUMED 0000-2400:

REMARKS

~~04-04~~ MOORED PORT SIDE TO THE OUTFITTING PIER AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA, WITH STANDARD MOORING LINES DOUBLED TO TAE PIER. USS RIVAL (MSO 448) MOORED OUTBOARD TO STARBOARD. SOPA IS CO USS RIVAL, LCDR MASNAW, USN. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE

LTJG USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: A.A. Forest LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY CMSV-514 FRIDAY (Day) 10 (Date) MAY (Month) 19 67

Ø8-12 MOORED AS BEFORE.

B D Douglas Jr.
ENS. USNR

12-16 MOORED AS BEFORE. 1445 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. 1540 UNDERWAY IN ACCORDANCE WITH COMINCLANT. CAPTAIN AND NAVIGATOR ON THE BRIDGE. MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL.

B D Douglas Jr.
ENS. USNR

16-20 STEAMING AS BEFORE. 1813 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. SET COURSE 180° T SPEED 12 KTS. 1819 ENTERED INTERNATIONAL WATERS. 1827 C/C TO 080° T 1822 C/C TO 070° T. 1852 C/C TO 060° T.

B D Douglas Jr.
ENS. USNR.

20-24 STEAMING AS BEFORE. 2031 C/C 050° T 2134 C/S 9 KTS. 2305 C/C TO 035° T

W A Sievert LTJG USNR.

APPROVED: J Hunnicutt U.S.N. COMMANDING

EXAMINED: A A Fazzi Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE SATURDAY (Day) 11 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	8	10	CLR	29.88	74	70	—	—	—	75	—	—
02	200	9	10	CLR	29.87	74	70	—	—	—	75	—	—
03	235	12	10	CLR	29.85	74	69	—	—	—	75	—	—
04	260	13	10	CLR	29.84	74	69	—	—	—	75	—	—
05	210	6	10	CLR	29.83	72	67	—	—	—	75	—	—
06	235	9	10	CLR	29.85	71	67	—	—	—	75	—	—
07	255	8	10	CLR	29.86	74	68	—	—	—	—	—	—
08	270	8	10	CLR	29.88	78	70	—	—	—	—	—	—
09	230	7	10	CLR	29.87	79	70	—	—	—	—	—	—
10	320	5	10	CLR	29.88	85	75	—	—	—	—	—	—
11	320	5	10	CLR	29.88	88	77	—	—	—	—	—	—
12	320	5	10	CLR	29.83	96	80	—	—	—	—	—	—
13	150	16	7	SCT	29.82	90	77	4	1600	CU/AC	75	150	1.5
14	150	16	7	SCT	29.82	80	74	4	1600	CU/AC	75	150	1.5
15	180	16	7	SCT	29.81	78	73	4	1600	CU/AC	75	150	1.5
16	190	16	5	R	29.81	75	73	10	1600	NS	75	150	1.5
17	210	16	5	R	29.81	76	72	10	1600	NS	75	155	1.5
18	230	8	7	BKN	29.82	77	72	7	1600	NS	75	200	1.5
19	230	8	7	BKN	29.83	75	71	7	1600	NS/AC	75	200	1.5
20	165	6	6	BKN	29.85	75	71	8	1600	NS	75	150	1.5
21	115	6	6	BKN	29.87	75	71	8	1600	NS	75	100	1
22	100	7	7	BKN	29.89	75	71	9	1600	NS	75	090	1
23	100	6	8	BKN	29.90	75	71	7	1600	NS	75	080	1
24	100	5	8	CLR	29.91	75	71	—	—	—	75	060	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 79.55

FUEL CONSUMED 0000-2400: 882

REMARKS

00-04 STEAMING INDEPENDENTLY FROM SAVANNAH, GEORGIA TO CHARLESTON, SOUTH CAROLINA. BASE SPEED 9 KTS. BASE COURSE 035°T. SOPA IS LCDR MASHBURN USN, CO U.S.S. KIVAC (AMSO-468). SHIPS PRESENT INCLUDE VARIOUS PASSING MERCHANTS. SHIP IS IN CONDITION OF READINESS ~~I~~ WITH MATERIAL CONDITION YOKE MODIFIED SET. 0329 SET SEA DETAIL. 0330 C/C TO 250°T. 0331 C/C TO 299°T.

J.H. Craig
Ensign USNR

04-08 STEAMING AS BEFORE, MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING INTO CHARLESTON HARBOR. 0641 ANCHORED IN 26 FT OF WATER, MUD BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR AT THE WATERS EDGE ON THE FOLLOWING BEARINGS: AFT RANGE 160°T, MOULTRY TANK 102°T, MT PLEASANT 310.5°T 0655 SECURED THE SEA AND ANCHOR DETAIL AND SET THE ANCHOR WATCH. 0745 MUSTERED THE CREW ON STATION, ABSENTEES, NONE.

W.B. Kincaid LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Faire, LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE TY MSO-519 SATURDAY (Day) 11 (Date) MAY (Month) 19 63

0800-1200 ANCHORED AS BEFORE.

B D Taylor Jr
Ens. USNR

1200-1600 ANCHORED AS BEFORE. 1300 SECURED ANCHOR WATCH. SET SEA DETAIL. 1321 CAPTAIN AT THE CONN, UNDERWAY IN ACCORDANCE WITH ORDERS OF COMINCH 85 TO SAVANNAH, GEORGIA. 1330 C/C TO 138°T, C/S TO 6 KTS. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL AT CHARLESTON HARBOR. 1402 SECURED SEA DETAIL. SET UNDERWAY WATCH. 1410 ENTERED INTERNATIONAL WATERS.

J H King
Ens. USNR

1600-2000 STEAMING AS BEFORE 1605 C/S TO 6.0 KTS. 1955 C/C TO 220°T C/S TO 2.0 KTS.

B D Taylor Jr
Ens. USNR

2000-2400 STEAMING AS BEFORE.

W F Friell LTJG USNR

APPROVED: J Hennessey U.S.N. COMMANDING

EXAMINED: A. A. Foss Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SUNDAY (Day) 12 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO SAVANNAH, GEORGIA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	12	3	OVC	29.91	77	70	10	1600	NS	75	240	2
02	250	12	3	OVC	29.91	74	70	10	1600	NS	75	280	3
03	210	15	3	OVC	29.90	72	70	10	1600	NS	75	290	3
04	340	19	2	OVC	29.91	71	69	10	1600	NS	75	290	2.5
05	000	19	1½	OVC	29.93	70	68	10	1600	NS	75	005	3
06	010	21	1½	OVC	2994	69	67	10	1600	NS	75	015	3
07	025	21	2	OVC	29.94	70	67	10	1600	NS	75	020	3
08	030	27	2	OVC	29.95	70	67	10	1600	NS	75	030	4½
09	040	32	2	OVC	29.96	70	67	10	1600	NS	75	035	5
10	040	33	2½	OVC	29.96	70	67	10	1600	NS	75	040	5
11	010	11	4	OVC	2998	70	67	10	1600	NS	75	040	5
12	020	6	4	OVC	29.99	70	66	10	1600	NS	—	—	—
13	035	7	4	OVC	30.00	69	65	10	1600	NS	—	—	—
14	050	6	6	OVC	30.00	68	65	10	1600	NS	—	—	—
15	050	6	7	OVC	30.05	68	65	10	1600	NS	—	—	—
16	020	8	7	OVC	30.03	67	64	10	1600	NS	—	—	—
17	025	9	7	OVC	30.01	66	64	10	1600	NS	—	—	—
18	020	13	7	OVC	30.00	65	63	10	1600	NS	—	—	—
19	020	13	7	OVC	30.01	65	63	10	1600	NS	—	—	—
20	020	13	7	OVC	30.01	65	63	10	1600	NS	—	—	—
21	020	10	7	OVC	30.01	65	62	10	1600	NS	—	—	—
22	020	10	7	OVC	30.02	65	62	10	1600	NS	—	—	—
23	020	9	7	OVC	30.03	64	62	10	1600	NS	—	—	—
24	020	10	7	OVC	30.03	63	61	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 48.22

FUEL CONSUMED 0000-2400:

REMARKS

00-04 STEAMING INDEPENDENTLY FROM CHARLESTON, S.C. TO SAVANNAH, GEORGIA, BASE COURSE 220°T, ~~BASE~~ SPEED 2.5 KTS. SHIP IS IN CONDITION OF READINESS ~~THREE~~ WITH MODIFIED MATERIAL CONDITION YOKE SET. 0035 C/C TO 210°T, C/S TO 6 KTS. 0310 C/C TO 300°T, C/S 5 KTS.

J. H. King
Ensign USNR

04-08 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE WAITING FOR THE WEATHER TO CLEAR BEFORE ENTERING PORT. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

B. D. Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore, Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SUNDAY (Day) 12 (Date) MAY (Month) 1963

08-12 STEAMING AS BEFORE. 0932 SET THE SPECIAL SEA AND ANCHOR DETAIL AND MADE ALL PREPARATIONS FOR ENTERING PORT. 0944 MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING ON SAVANNAH RIVER. 1019 LYING TO WAITING FOR PILOT. 1024 PILOT, MR W.T. BROWN, ON BOARD. 1024 PILOT HAS THE CONN, MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO CHANNEL. 1155 MOORED STBD SIDE TO USS CHEWAGON (AGC 50) AT SAVANNAH MACHINE AND FOUNDRY COMPANY. 1159 ALL LINES DOUBLED. SECURED THE SPECIAL SEA AND ANCHOR DETAIL AND SET THE IN PORT WATCH

W.A. Shum LTJG USNR

12-16 MOORED AS BEFORE. 1228 CAST OFF TUG PORT SIDE. 1230 PILOT DEPARTED SHIP.

J.A. King
Ens. USNR

16-24 MOORED AS BEFORE.

J.A. King
Ensign USNR

24-24 MOORED AS BEFORE.

J.A. King
Ensign USNR

APPROVED: J. [illegible] Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE MONDAY (Day) 13 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	6	10	OVC	30.06	67	64	10	1600	NS	—	—	—
02	055	6	10	OVC	30.07	66	65	10	1600	NS	—	—	—
03	050	6	10	OVC	30.08	66	63	10	1600	NS	—	—	—
04	045	9	10	OVC	30.09	66	63	10	1600	NS	—	—	—
05	045	11	10	OVC	30.11	67	64	10	1600	NS	—	—	—
06	045	12	10	OVC	30.12	66	63	10	1600	NS	—	—	—
07	045	12	10	OVC	30.13	66	63	10	1600	NS	—	—	—
08	050	10	10	OVC	30.14	67	64	10	1600	NS	—	—	—
09	050	10	10	OVC	30.14	67	65	10	1600	NS	—	—	—
10	050	10	10	OVC	30.14	70	67	10	1600	NS	—	—	—
11	050	10	10	OVC	30.13	70	67	10	1600	NS	—	—	—
12	050	10	10	OVC	30.13	70	67	10	1600	NS	—	—	—
13	060	10	10	OVC	30.13	70	67	10	1600	NS	—	—	—
14	060	10	10	OVC	30.12	73	67	10	1600	NS	—	—	—
15	050	10	10	OVC	30.12	72	67	10	1600	NS	—	—	—
16	050	10	10	OVC	30.12	73	67	10	1600	NS	—	—	—
17	050	10	10	OVC	30.12	72	67	10	1600	NS	—	—	—
18	050	10	10	OVC	30.12	71	66	10	1600	NS	—	—	—
19	050	10	10	OVC	30.11	70	65	10	1600	NS	—	—	—
20	075	10	10	OVC	30.07	70	65	10	1600	NS	—	—	—
21	035	10	10	OVC	30.07	68	64	10	1600	NS	—	—	—
22	030	10	10	R	30.06	68	63	10	1600	NS	—	—	—
23	030	10	10	R	30.06	67	63	10	1600	NS	—	—	—
24	030	10	10	OVC	30.06	63	60	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED STARBOARD SIDE TO U.S.S. CHEVALLIER (DD 805-52) WITH STANDARD MOORING LINES DOUBLED, AT SAVANNAH MACHINE & FOUNDRY CO., SAVANNAH, GEORGIA. SOPA IS LCDR HASHAW, USN, CO, U.S.S. RIVAL (MSO-468) SHIP RECIEVING MISCELLANEOUS SERVICES FROM THE YARD. SHIP IS IN CONDITION OF READINESS VI WITH MODIFIED MATERIAL CONDITION YOKE SET.

J. H. King
Ensign USNR

04-08 MOORED AS BEFORE.

J. H. King
Ensign USNR

APPROVED: T. H. Kennedy U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 MONDAY (Day) 13 (Date) MAY (Month) 1963

0800-1200 MOORED AS BEFORE.

J.H. King
Ensign USNR

1200-1600 MOORED AS BEFORE, 1300 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.H. King
Ens. USNR

1600-2400 MOORED AS BEFORE. 1645 SET SEA DETAIL. SECURED IN PORT WATCH. 1725 PILOT AT THE CONN. 1727 UNDERWAY TO BERTH 7. 1758 MOORED TO BERTH 7 AT SAVANNAH MACHINE & FOUNDRY CO. 1806 PILOT DEPARTED. 1812 SECURED SEA DETAIL. SET IN PORT WATCH.

J.H. King
Ensign USNR

2400-2400 MOORED AS BEFORE.

J.H. King
Ensign USNR

APPROVED: J.H. King U.S.N. COMMANDING

EXAMINED: A.A. Fazzi Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 14 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	OVC	30.06	63	60	10	1600	NS	—	—	—
02	—	—	10	OVC	30.06	63	60	10	1600	NS	—	—	—
03	—	—	10	OVC	30.06	63	60	10	1600	NS	—	—	—
04	—	—	10	OVC	30.07	62	59	10	1600	NS	—	—	—
05	—	—	10	OVC	30.07	62	59	10	1600	NS	—	—	—
06	315	3	10	OVC	30.07	62	59	10	1600	NS	—	—	—
07	315	3	10	OVC	30.06	63	57	10	1600	NS	—	—	—
08	315	3	10	OVC	30.06	60	58	10	1600	NS	—	—	—
09	315	3	10	OVC	30.07	65	63	10	1600	NS	—	—	—
10	315	3	10	OVC	30.07	66	64	10	1600	NS	—	—	—
11	315	3	10	OVC	30.07	65	63	10	1600	NS	—	—	—
12	315	2	10	OVC	30.10	66	64	10	1600	NS	—	—	—
13	315	2	10	OVC	30.10	66	64	10	1600	NS	—	—	—
14	315	2	10	OVC	30.11	66	64	10	1600	NS	—	—	—
15	315	2	10	OVC	30.10	75	70	10	1600	NS	—	—	—
16	300	4	10	BKN	30.10	78	72	8	1600	CU/NS	—	—	—
17	300	4	10	BKN	30.05	78	72	8	1600	CU	—	—	—
18	230	4	10	BKN	30.01	78	72	9	1600	CU	—	—	—
19	230	4	10	BKN	30.00	75	70	7	1600	CU	—	—	—
20	215	10	10	CLR	30.00	73	68	—	—	—	—	—	—
21	205	6	10	CLR	29.99	70	67	—	—	—	—	—	—
22	205	11	10	CLR	29.99	70	67	—	—	—	—	—	—
23	200	11	10	CLR	29.99	69	65	—	—	—	—	—	—
24	200	11	10	CLR	29.99	68	64	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

—

FUEL CONSUMED 0000–2400

—

REMARKS

0600-0800 MOORED STARBOARD SIDE TO BERTH #7 AT SAVANNAH MACHINE & FOUNDRY CO., SAVANNAH, GEORGIA WITH STARBOARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LT. T. HUTTINGER USN IN THIS SHIP. RECIEVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III. WATER MATERIAL CONDITION YOKE MODIFIED SET.

J. A. King
Ensign USNR

0800-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. A. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 14 (Date) MAY (Month), 19 63

0800-1200 MOORED AS BEFORE

A.A. Fiore
LT USN

1200-1600 MOORED AS BEFORE.

A.A. Fiore
LT USN

1600-2000 MOORED AS BEFORE.

A.A. Fiore
LT USN

2000-2400 MOORED AS BEFORE.

A.A. Fiore
LT USN

APPROVED: J. [illegible] Jr. U.S.N. COMMANDING

EXAMINED: A.A. Fiore, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 15 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ SAVANNAH, GEORGIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	6	10	CLR	29.94	77	73	—	—	—	—		
02	150	5	10	CLR	29.92	77	73	—	—	—	—	—	—
03	150	4	10	CLR	29.90	73	70	—	—	—	—	—	—
04	150	4	10	CLR	29.90	73	68	—	—	—	—	—	—
05	150	4	10	CLR	29.90	73	68	—	—	—	—	—	—
06	180	4	10	CLR	29.91	73	68	—	—	—	—	—	—
07	190	4	10	CLR	29.92	73	68	—	—	—	—	—	—
08	200	6	10	CLR	29.93	77	67	—	—	—	—	—	—
09	250	4	10	CLR	29.96	84	75	—	—	—	—	—	—
10	300	4	10	CLR	29.94	84	76	—	—	—	—	—	—
11	325	5	10	CLR	29.94	87	76	—	—	—	—	—	—
12	315	5	10	CLR	29.90	88	75	—	—	—	—	—	—
13	315	6	10	CLR	29.88	91	80	—	—	—	—	—	—
14	315	5	10	CLR	29.82	91	74	—	—	—	—	—	—
15	315	5	10	CLR	29.82	94	80	—	—	—	—	—	—
16	315	5	10	CLR	29.83	94	75	—	—	—	—	—	—
17	315	6	10	CLR	29.84	95	76	—	—	—	—	—	—
18	315	3	10	CLR	29.85	95	76	—	—	—	—	—	—
19	315	4	10	CLR	29.86	91	76	—	—	—	—	—	—
20	315	5	10	CLR	29.87	89	76	—	—	—	—	—	—
21	315	4	10	CLR	29.88	89	76	—	—	—	—	—	—
22	315	4	10	CLR	29.90	88	75	—	—	—	—	—	—
23	315	4	10	CLR	29.91	85	75	—	—	—	—	—	—
24	315	4	10	CLR	29.93	76	71	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH NO. 748 AT SAVANNAH MACHINE AND FOUNDRY CO., SAVANNAH, GA. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS LT. T. HUTTINGER, USN IN THIS SHIP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION "YOKE" SET.

A.A. Faire
LT USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

A.A. Faire
LT USN

APPROVED: T Huttinger U.S.N. COMMANDING

EXAMINED: A.A. Faire, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 15 (Date) MAY (Month) 19 43

08-12 MOORED AS BEFORE

W B Sewell LTJG USNR

12-16 MOORED AS BEFORE

W B Sewell LTJG USNR

16-20 MOORED AS BEFORE.

W B Sewell LTJG USNR

20-24 MOORED AS BEFORE.

W B Sewell LTJG USNR

APPROVED: J. Williams U.S.N. COMMANDING

EXAMINED: A.O. Fiore LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 16 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	6	10	CLR	29.94	77	73	—	—	—	—	—	—
02	150	5	10	CLR	29.92	75	70	—	—	—	—	—	—
03	150	4	10	CLR	29.90	73	68	—	—	—	—	—	—
04	150	3	10	CLR	29.90	73	68	—	—	—	—	—	—
05	150	4	10	CLR	29.90	73	68	—	—	—	—	—	—
06	150	4	10	CLR	29.91	73	68	—	—	—	—	—	—
07	150	4	10	CLR	29.92	73	68	—	—	—	—	—	—
08	150	6	10	CLR	29.93	77	69	—	—	—	—	—	—
09	270	4	10	CLR	29.96	84	75	—	—	—	—	—	—
10	315	4	10	CLR	29.96	84	79	—	—	—	—	—	—
11	315	5	10	CLR	29.94	87	76	—	—	—	—	—	—
12	315	5	10	CLR	29.90	88	85	—	—	—	—	—	—
13	315	5	10	CLR	29.88	91	80	—	—	—	—	—	—
14	315	5	10	CLR	29.88	91	74	—	—	—	—	—	—
15	315	5	10	CLR	29.85	94	80	—	—	—	—	—	—
16	315	5	10	CLR	29.84	94	80	—	—	—	—	—	—
17	315	5	10	CLR	29.84	95	76	—	—	—	—	—	—
18	315	5	10	CLR	29.82	95	76	—	—	—	—	—	—
19	315	3	10	SCT	29.82	91	76	SCT	1600	5	—	—	—
20	315	4	10	SCT	29.86	89	76	SCT	1600	5	—	—	—
21	315	4	10	SCT	29.85	86	76	SCT	1600	5	—	—	—
22	315	4	10	SCT	29.85	88	75	5	1600	CU	—	—	—
23	315	4	10	SCT	29.84	88	75	5	1600	CU	—	—	—
24	315	4	10	SCT	29.86	76	71	5	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
—

FUEL CONSUMED
0000-2400
—

REMARKS

04-04 MOORED STARBOARD SIDE TO BERTH 7 & 8 AT SAVANNAH MACHINE AND FOUNDRY, SAVANNAH, GEORGIA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS CO. THIS SHIP, LT. T. NOTTINGER, USN. OTHER SHIPS PRESENT INCLUDE VARIOUS YARD AND DISTRICT CRAFTS. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

LTJG USNR.

04-08 MOORED AS BEFORE.

LTJG USNR

APPROVED: T. Nottinger U.S.N. COMMANDING

EXAMINED: A.A. Fors, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 THURSDAY (Day) 16 (Date) MAY (Month), 19 63

0800 - 1200 MOORED AS BEFORE. 0915 MUSTERED CREW AT QUARTERS ABSENTEES: CHESICK, MARK J., 543-82-26, SA., USN, Pomeroy, John L., 549-10-87, SN., USN, HANSEN, DANIEL P, 586-90-00, SN., USN AND HOUSEHOLDER WALTON, J., 925-51-21, GMG3 USN ABSENT WITHOUT AUTHORITY SINCE 0900 THIS DATE. 1009 HOUSEHOLDER, WALTON J., GMG3 REPORTED ABOARD.

B D Taylor Jr.
ENS, USNR

1200-1600 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

1600 - 2000 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

2000 - 2400 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 45R DATE FRIDAY (Day) 17 (Date) MAY (Month), 19 63

AT/PASSAGE FROM SAVANNAH, GEORGIA TO CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	315	4	10	SCT	29.86	77	71	3	1600	CU	—	—	—
02	315	6	10	SCT	29.84	76	71	4	1600	CU	—	—	—
03	315	6	10	SCT	29.82	76	71	4	1600	CU	—	—	—
04	315	6	10	CLR	29.84	76	71	—	—	—	—	—	—
05	—	—	10	CLR	29.84	75	71	—	—	—	—	—	—
06	—	—	10	CLR	29.85	74	71	—	—	—	—	—	—
07	—	—	10	CLR	29.86	77	73	—	—	—	—	—	—
08	220	8	10	CLR	29.87	80	74	—	—	—	—	—	—
09	220	8	10	CLR	29.87	79	74	—	—	—	72	—	—
10	040	2	10	H	29.90	80	75	—	—	—	74	—	—
11	040	2	10	H	29.90	82	75	—	—	—	76	—	—
12	320	2	10	H	29.81	80	75	—	—	—	76	—	—
13	320	2	10	H	29.81	80	75	—	—	—	76	—	—
14	320	2	10	H	29.81	80	75	—	—	—	76	—	—
15	245	6	10	H	29.80	82	79	—	—	—	—	—	—
16	245	6	10	H	29.79	84	77	—	—	—	—	—	—
17	245	7	10	H	29.76	86	76	—	—	—	—	—	—
18	250	7	10	H	29.77	85	75	—	—	—	—	—	—
19	250	7	10	CLR	29.77	85	75	—	—	—	—	—	—
20	250	7	10	CLR	29.77	85	75	—	—	—	—	—	—
21	250	7	10	CLR	29.76	85	75	—	—	—	—	—	—
22	250	7	10	CLR	29.79	85	75	—	—	—	—	—	—
23	250	7	10	CLR	29.80	85	75	—	—	—	—	—	—
24	250	7	10	CLR	29.78	78	72	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 70.44

FUEL CONSUMED 0000-2400: 784

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 7 & 8 AT SAVANNAH MACHINE AND FOUNDRY CO, SAVANNAH, GEORGIA, WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: LT. T. HUTTINGER, CO OF THIS SHIP. SHIPS PRESENT include VARIOUS UNITS OF US ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
ENS, USNR

04-08 MOORED AS BEFORE. 0540 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. 0617 UNDERWAY IN ACCORDANCE WITH COMINLANT, CAPTAIN AND NAVIGATOR ON THE BRIDGE. MANEUVERING

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Frere LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ FRIDAY (Day) 17 (Date) MAY (Month), 19 63

VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL. CHESICK, MARK J., POMEROY JOHN L. AND HANSEN DANIEL P. ABSENT FROM MUSTER SINCE 0900 THURSDAY 16 MAY 1963.

B D Murphy Jr
ENS. USNR

0800-1200 STEAMING AS BEFORE, 0810 SECURED ANCHOR FOR SEA. 1022 C/C TO 000° T. 1029 C/C TO 050° T.

J H King
Ensign USNR

1200-1600 STEAMING AS BEFORE. 1403 SOUNDED SEA DETAIL AND MADE ALL NECESSARY PREPARATIONS FOR ENTERING PORT. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONFORMING TO COPPER RIVER, CHARLESTON. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. 1534 TOOK ABOARD PILOT – MR SQUAN., PILOT WAS THE CONN. 1539 MOORED STARBOARD SIDE TO PIER SIERRA, BERTH 2, U.S. NAVAL STATION, CHARLESTON S.C. 1545 SECURED THE SPECIAL SEA DETAIL AND SET THE REGULAR IN PORT WATCH.

W J Reid LTJG USNR.

1600-2400 ~~MOORED~~ ~~STEAMING~~ AS BEFORE. JAK

J H King
Ensign USNR

2400-2400 MOORED AS BEFORE.

J H King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE SATURDAY (Day) 18 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	6	10	CLR	29.78	77	70	—	—	—	—	—	—
02	250	6	10	CLR	29.75	78	70	—	—	—	—	—	—
03	250	6	10	CLR	29.74	76	70	—	—	—	—	—	—
04	250	6	10	CLR	29.77	76	71	—	—	—	—	—	—
05	250	6	10	CLR	29.77	75	70	—	—	—	—	—	—
06	250	6	10	CLR	29.79	75	70	—	—	—	—	—	—
07	250	6	10	CLR	29.81	75	69	—	—	—	—	—	—
08	250	5	10	CLR	29.84	78	70	—	—	—	—	—	—
09	250	5	10	CLR	29.84	82	71	—	—	—	—	—	—
10	250	5	10	CLR	29.84	81	72	—	—	—	—	—	—
11	250	5	10	CLR	29.84	84	70	—	—	—	—	—	—
12	260	5	10	CLR	29.82	85	72	—	—	—	—	—	—
13	250	5	10	CLR	2982	85	72	—	—	—	—	—	—
14	250	5	10	CLR	29.82	85	72	—	—	—	—	—	—
15	250	6	10	CLR	29.82	85	72	—	—	—	—	—	—
16	250	8	10	SCT	29.80	90	70	4	1600	CU	—	—	—
17	250	8	10	SCT	29.79	90	71	4	1600	CU	—	—	—
18	250	10	10	SCT	29.80	87	69	4	1600	CU	—	—	—
19	250	10	10	SCT	29.82	86	67	4	1600	CU	—	—	—
20	250	10	10	CLR	29.84	85	74	—	—	—	—	—	—
21	250	5	10	CLR	29.87	87	68	—	—	—	—	—	—
22	250	5	10	CLR	29.90	78	66	—	—	—	—	—	—
23	250	5	10	CLR	29.90	76	65	—	—	—	—	—	—
24	250	5	10	CLR	29.90	76	65	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

04-04 MOORED STARBOARD SIDE TO BERTH TWO, PIER HOTEL U.S. NAVAL STATION, CHARLESTON, S.C. RADM MILES USN COMCRUDESFLOT SIX IN U.S.S. EVERGLADES (AD-24) IS SOPA. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MODIFIED WATERTIGHT CONDITION YOKE SET.

J.H. King
Engineer

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: CHESICK, M.J. SR, 593-82-26; POWELL, J.C. SN 549-10-87; HANSEN, D.P. SN, 586-90-00.

J.H. King
Engineer

APPROVED: J.H. [illegible] U.S.N. COMMANDING

EXAMINED: A.A. Frare, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 18 (Date) MAY (Month) 19 63

08-12 MOORED AS BEFORE.

W.H. Smith LTJG USNR

12-16 MOORED AS BEFORE.

W.H. Smith LTJG USNR

16-20 MOORED AS BEFORE.

W.H. Smith LTJG USNR.

20-24 MOORED AS BEFORE.

W.H. Smith LTJG USNR

APPROVED: J. Hallinger Jr. U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 517) ZONE DESCRIPTION +5 R DATE SUNDAY (Day) 19 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	5	10	CLR	29.90	76	65	—	—	—	—	—	—
02	250	5	10	CLR	29.90	76	65	—	—	—	—	—	—
03	250	5	10	CLR	29.90	76	65	—	—	—	—	—	—
04	—	—	10	CLR	29.91	73	64	—	—	—	—	—	—
05	—	—	10	SCT	29.95	72	67	3	20,000	CI	—	—	—
06	—	—	10	SCT	29.97	73	67	5	4500	ST	—	—	—
07	180	3	10	SCT	29.98	74	69	4	1600	CU	—	—	—
08	180	5	10	SCT	30.02	76	68	4	1600	CU	—	—	—
09	180	10	10	SCT	30.01	76	69	4	1600	CU	—	—	—
10	165	10	10	SCT	30.02	80	65	4	1600	CU	—	—	—
11	165	10	10	SCT	30.04	83	66	4	1600	CU	—	—	—
12	165	10	10	SCT	30.04	83	66	4	1600	CU	—	—	—
13	165	10	10	SCT	30.04	83	66	4	1600	CU	—	—	—
14	165	10	10	SCT	30.04	85	66	4	1600	CU	—	—	—
15	165	10	10	SCT	30.04	85	66	4	1600	CU	—	—	—
16	165	13	10	SCT	30.00	80	74	4	4500	AC	—	—	—
17	165	13	10	CLR	29.98	79	73	—	—	—	—	—	—
18	165	12	10	CLR	29.98	78	73	—	—	—	—	—	—
19	165	6	10	CLR	29.98	76	73	—	—	—	—	—	—
20	165	6	10	CLR	30.00	75	72	—	—	—	—	—	—
21	165	6	10	CLR	30.02	75	70	—	—	—	—	—	—
22	165	6	10	CLR	30.06	75	72	—	—	—	—	—	—
23	165	6	10	CLR	30.04	74	69	—	—	—	—	—	—
24	165	6	10	CLR	30.04	74	69	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 —

REMARKS

04-04 MOORED STARBOARD SIDE TO BERT 5-2 AT US NAVAL STATION, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS RADM ARLES, USN, COMCRUDESFLOT 6 SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

W. W. Steed LTJG USNR.

04-08 MOORED AS BEFORE. MUSTERED THE CREW ON STATION, ABSENTEES ~~NONE~~ CHESICK, M.J. SA, 593-82-26, PEMEROY, J.L. SN, 549 10 87, NANSEN, D.P. SN 586 90 40

W. W. Steed LTJG USNR

APPROVED: J. Hennessey U.S.N. COMMANDING

EXAMINED: A.A. Zane, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 5[9]) SUNDAY (Day) 19 (Date) MAY (Month), 19 63

ØP-12 MOORED AS BEFORE.

W.O. Smith LTJG USNR

12-CL MOORED AS BEFORE.

W.O. Smith LTJG USNR

16-24 MOORED AS BEFORE.

W.O. Smith LTJG USNR

24-24 MOORED AS BEFORE

W.O. Smith LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5R DATE MONDAY (Day) 20 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	6	10	CLR	30.04	74	69	—	—	—	—	—	—
02	165	6	10	CLR	30.04	75	69	—	—	—	—	—	—
03	165	6	10	CLR	30.04	75	69	—	—	—	—	—	—
04	165	3	10	SCT	30.00	74	69	5	1600	NS	—	—	—
05	165	6	6	OVC	30.00	74	72	10	1600	NS	—	—	—
06	165	7	6	BKN	30.01	75	73	7	1600	NS	—	—	—
07	165	8	10	BKN	30.01	76	74	7	1600	NS	—	—	—
08	165	8	10	BKN	30.02	77	75	8	1600	NS	—	—	—
09	165	8	10	BKN	30.02	80	78	8	1600	NS	—	—	—
10	165	8	10	BKN	30.02	83	75	8	1600	NS	—	—	—
11	165	8	10	BKN	30.02	83	75	8	1600	NS	—	—	—
12	165	8	10	BKN	30.00	86	76	8	1600	NS	—	—	—
13	165	8	10	BKN	29.97	85	76	6	1600	NS	—	—	—
14	165	12	10	BKN	30.00	84	75	6	1600	NS	—	—	—
15	165	8	8	BKN	30.00	80	74	6	1600	NS	—	—	—
16	165	8	8	OVC	30.01	79	74	10	1600	NS	—	—	—
17	165	8	8	OVC	30.01	74	70	10	1600	NS	—	—	—
18	165	8	10	OVC	30.01	74	70	10	1600	NS	—	—	—
19	165	8	10	OVC	30.03	74	70	10	1600	NS	—	—	—
20	165	8	10	OVC	3007	73	70	10	1600	NS	—	—	—
21	165	8	10	L	3008	72	68	10	1600	NS	—	—	—
22	165	7	10	L	3007	72	67	10	1600	NS	—	—	—
23	165	5	10	OVC	30.07	72	67	10	1600	NS	—	—	—
24	165	5	10	OVC	30.07	72	67	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

87

REMARKS

0000-0004 MOORED STARBOARD SIDE TO BERTH 5-2 AT US NAVAL STATION, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS RADM NILES, USN, COMCRUDESFLOT 6 SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

[signature] LTJG USNR.

0004-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES WERE, CHESICK M.J. SA, USN, 593-82-2C, POMEROY J.L. SN, 549 1087, WAWSON, D.P. SN, 586 90.00

[signature] LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: G.A. Zane, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 20 (Date) MAY (Month), 19 63

08-12 MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

T. B Marks
ENS USNR

12-16 MOORED AS BEFORE.

T. B Marks
ENS USNR

16-20 MOORED AS BEFORE.

T. B Marks
ENS USNR

20-24 MOORED AS BEFORE.

T. B Marks
ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 21 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	165	4	8	BKN	30.15	70	67	8	1800	NS	—	—	—
02	165	4	8	BKN	30.15	70	67	8	1600	NS	—	—	—
03	165	4	8	BKN	30.14	70	67	8	1600	NS	—	—	—
04	165	4	8	BKN	30.02	70	67	8	1600	NS	—	—	—
05	165	4	8	BKN	30.02	71	67	8	1600	NS	—	—	—
06	165	3	8	BKN	30.05	71	69	8	1600	NS	—	—	—
07	165	3	8	BKN	30.07	73	70	8	1600	NS	—	—	—
08	200	4	9	OVC	30.07	77	76	10	1600	NS	—	—	—
09	200	4	10	OVC	30.08	78	77	10	1600	NS	—	—	—
10	200	7	10	OVC	30.08	81	80	10	1600	NS	—	—	—
11	230	5	9	BKN	30.08	82	78	9	1600	NS	—	—	—
12	225	4	9	BKN	30.05	84	79	7	1600	NS	—	—	—
13	225	6	8	BKN	30.03	83	79	8	1600	NS	—	—	—
14	230	9	7	BKN	30.00	82	80	8	1600	NS	—	—	—
15	230	9	8	BKN	30.00	84	82	8	1600	NS	—	—	—
16	230	4	8	BKN	30.00	84	82	8	1600	NS	—	—	—
17	230	10	4	OVC	30.00	84	72	10	1600	NS	—	—	—
18	230	10	8	OVC	30.00	73	72	10	1600	NS	—	—	—
19	230	6	10	OVC	30.00	73	72	10	1600	NS	—	—	—
20	230	7	10	OVC	30.01	76	74	10	1600	NS	—	—	—
21	230	6	8	BKN	30.01	75	73	10	1600	NS	—	—	—
22	225	8	8	BKN	30.03	74	73	10	1600	NS	—	—	—
23	225	8	8	BKN	30.03	74	73	10	1600	NS	—	—	—
24	230	8	8	BKN	30.02	74	73	9	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400 —

FUEL CONSUMED 0000-2400 —

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA TWO AT U.S. NAVAL STATION, CHARLESTON, S. C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS RADM T. W. AICES, USN, COMCRUDESFLOT 6 IN THE USS EVERGLADES (AD-~~VAM~~ 24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J. B. Marks
ENS. USNR

04-08 MOORED AS BEFORE. 0745 MOSTERED THE CREW AT QUARTERS. ABSENTEES: CHESICK, M. J. SA, USN, 593-82 26; HANSEN, D. P. SN, 586 90 00; POMEROY, J. L. BMSN, 549 10 87.

J. B. Marks
ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G. A. Zaro LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 21 (Date) MAY (Month), 19 63

60-12 MOORED AS BEFORE. 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

LTJG USNR

12-16 MOORED AS BEFORE.

LTJG USNR

16-20 MOORED AS BEFORE.

LTJG USNR

20-24 MOORED AS BEFORE.

LTJG USNR

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 75R DATE WEDNESDAY (Day) 22 (Date) MAY (Month), 19 1963

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	260	4	9	CLR	30.02	73	70	—	—	—	—	—	—
02	245	7	9	CLR	30.00	71	67	—	—	—	—	—	—
03	250	5	9	CLR	30.02	71	69	—	—	—	—	—	—
04	250	9	7	SCT	30.01	70	68	2	20,000	CI	—	—	—
05	250	9	7	SCT	30.00	69	67	2	20,000	CI	—	—	—
06	250	5	7	SCT	30.00	71	69	2	20,000	CI	—	—	—
07	245	6	8	SCT	30.02	72	70	2	20,000	CI	—	—	—
08	240	3	10	SCT	30.05	79	82	2	20,000	CI	—	—	—
09	240	3	10	SCT	30.09	83	80	2	20,000	CI	—	—	—
10	240	3	10	SCT	30.08	77	77	2	20,000	CI	—	—	—
11	240	3	10	SCT	30.07	80	78	2	20,000	CI	—	—	—
12	240	4	8	SCT	30.06	80	78	2	20,000	CI	—	—	—
13	210	4	8	SCT	30.02	80	78	2	20,000	CI	—	—	—
14	210	4	8	SCT	30.02	81	78	2	20,000	CI	—	—	—
15	210	4	4	BKN	29.99	82	77	6	20,000	CI/NS	—	—	—
16	200	4	4	OVC	29.98	80	77	10	1600	NS	—	—	—
17	200	6	4	OVC	29.98	80	77	10	1600	NS	—	—	—
18	200	6	6	OVC	29.96	80	77	10	1600	NS	—	—	—
19	200	6	6	OVC	29.96	78	74	10	1600	NS	—	—	—
20	200	6	6	OVC	29.96	80	74	10	1600	NS	—	—	—
21	200	6	6	OVC	29.96	79	74	10	1600	NS	—	—	—
22	200	6	6	OVC	29.96	79	74	10	1600	NS	—	—	—
23	200	6	6	OVC	29.96	76	73	10	1600	NS	—	—	—
24	200	6	6	OVC	29.96	77	73	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

04-04 MOORED STARBOARD SIDE TO PIER SIERRA BERTH 2 AT US NAVAL STATION, CHARLESTON S.C. WITH STANDORD MOORING LINES DOUBLED AND WIRE PREVENTORS OUT FORE AND AFT TO THE PIER. USS SALUTE (MSO 470) MOORED OUTBOARD TO PORT. SOPA IS RADM AINES, USN, COMCRUDESFLOT 6, EMBARKED IN USS RUEBLADES. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SRT.

W. A. Reed LTJG USNR.

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES WERE, CHESICK, M.J., SA, 543-82-26, POMEROY JL. SN, 549-10-87, HANSEN DP SN, 556, 90-00.

W. A. Reed LTJG USN

APPROVED: J. Hutchings U.S.N. COMMANDING

EXAMINED: A.A. Fears, Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HBILITy YMSO-519 WEDNESDAY (Day) 22 (Date) MAY (Month) 19 63

Ø8-12 MOORED AS BEFORE. 1100 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL.

B D Taylor Jr
ENS. USNR

12-16 moored As Before.

B D Taylor Jr.
ENS. USNR

16-2Ø MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

2Ø-24 MOORED AS BEFORE

B D Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fazio Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE THURSDAY (Day) 23 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	BKN	29.96	78	76	8	1600	NS	—	—	—
02	—	—	8	BKN	29.96	77	74	8	1600	NS	—	—	—
03	—	—	8	OVC	29.96	77	74	10	1600	NS	—	—	—
04	—	—	8	OVC	29.94	77	72	10	1600	NS	—	—	—
05	340	7	8	R	29.94	65	63	10	1600	NS	—	—	—
06	340	8	8	OVC	30.01	60	57	10	1600	NS	—	—	—
07	340	8	8	OVC	30.02	60	58	10	1600	NS	—	—	—
08	015	8	8	OVC	30.03	60	58	10	1600	NS	—	—	—
09	020	14	8	OVC	30.05	60	58	10	1600	NS	77	—	—
10	020	13	7	OVC	30.05	62	59	10	1600	NS/AC	77	—	—
11	345	13	7	OVC	30.06	64	60	10	1600	NS/AC	77	—	—
12	350	14	6	OVC	30.06	65	63	10	1600	NS/AC	77	—	—
13	350	14	6	OVC	30.06	66	64	10	1600	NS	77	—	—
14	000	16	6	OVC	30.06	67	65	10	1600	NS	77	—	—
15	000	15	5	OVC	30.07	64	62	10	1600	NS	77	—	—
16	020	15	6	OVC	30.07	64	62	10	1600	NS	17	—	—
17	270	15	8	OVC	30.10	62	60	10	1600	NS	—	—	—
18	270	13	8	OVC	30.10	62	60	10	1600	NS	—	—	—
19	270	15	10	OVC	30.10	60	57	10	1600	NS	—	—	—
20	270	10	8	OVC	30.14	60	59	10	1600	NS	—	—	—
21	270	10	8	OVC	30.16	60	58	10	1600	NS	—	—	—
22	270	10	8	OVC	30.16	60	58	10	1600	NS	—	—	—
23	270	10	8	OVC	30.16	60	58	10	1600	NS	—	—	—
24	080	10	8	OVC	30.16	60	58	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: —

FUEL CONSUMED 0000-2400: 87

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO PIER SIERRA 2 AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: RADM. J. W. MILES, COMCANDESFLOT SIX, IN USS BURTON ISLAND. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS UTILITY SERVICES BOAT FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

B. J. Daugherty
ENS. USNR.

Φ4-Φ8 MOORED AS BEFORE. Φ73Φ MUSTERED CREW AT QUARTERS. ABSENTEES. CLESCK, M.J., HANSEN, D.P., AND DOMONEY J.L. AWOL SINCE 16 MAY 1963. Φ745 SET SPECIAL SEA DETAIL. MAKING PREPARATIONS FOR GETTING UNDERWAY. CAPTAIN AND NAVIGATOR ON THE BRIDGE.

B. J. Daugherty
ENS. USNR.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Jones LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILENE MSO-519 THURSDAY (Day) 23 (Date) MAY (Month) 19 63

0800-1200 MOORED AS BEFORE. 0820 UNDERWAY IN ACCORDANCE WITH COMINLANT WEEKLY OPSKED. 0823 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL. 0900 PASSED UNDER GRACE MEMORIAL BRIDGE. 0930 LYING TO AND MAKING PREPARATIONS FOR RUNNING THE DEGUASSING RANGE AT CHARLESTON, S.C. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. COMMENCED RUNNING THE DEGAUSSING RANGE.

B. D. Taylor Jr.
ENS. USN

1200-1600 STEAMING AS BEFORE. 1208 DURING SOUTHERN PASS MEDIUM DEGAUSSING RANGE BRUSHED EASTERN DOLPHIN. NO ~~APPA~~ DAMAGE TO SHIP. DEGAUSSING RANGE REPORTED NO APPARENT DAMAGE TO Dolphin. 1543 COMPLETED RUNS, SET SEA DETAIL, SECURED UNDERWAY WATCH. 1554 C/C 047°T. 555 C/S TO 3KTS. 1558 C/C 209°T. P.2

J. H. King
Ensign USNR

1600-2400 STEAMING AS BEFORE. 1601 PASSED UNDER GRACE MEMORIAL BRIDGE WHILE STANDING IN THE CHANNEL. 1626 MANEUVERING TO THE PIER. 1635 MOORED STARBOARD SIDE TO PIER "5" AT CHARLESTON S.C. 1636. SECURED SEA DETAIL. SET NORMAL INPORT WATCH.

B. D. Taylor Jr.
ENS. USN

2400-2400 MOORED AS BEFORE.

J. H. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A. A. Fiore LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 15R DATE FRIDAY (Day) 24 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	8	7	OVC	30.14	61	59	10	1600	NS	—	—	—
02	030	8	7	OVC	30.14	61	59	10	1600	NS	—	—	—
03	030	7	7	OVC	30.15	62	60	10	1600	NS	—	—	—
04	030	6	7	BKN	30.15	60	58	8	1600	NS	—	—	—
05	030	6	7	BKN	30.16	60	58	8	1600	NS	—	—	—
06	030	6	7	BKN	30.16	60	58	8	1600	NS	—	—	—
07	030	6	7	BKN	30.18	60	58	8	1600	NS	—	—	—
08	050	12	7	BKN	30.18	63	61	8	1600	NS	—	—	—
09	080	17	7	OVC	30.17	66	64	10	1600	NS	—	—	—
10	075	15	7	OVC	30.19	65	63	10	1600	NS	—	—	—
11	040	12	8	OVC	30.20	70	67	10	1600	NS	75	—	—
12	045	10	8	OVC	30.21	70	67	10	1600	NS	75	—	—
13	055	13	8	OVC	30.21	70	67	10	1600	NS/AC	74	—	—
14	055	14	8	OVC	30.20	70	68	10	1600	NS/AC	74	—	—
15	055	12	8	OVC	30.19	70	68	10	1600	NS/AC	—	—	—
16	055	12	8	OVC	30.18	70	68	10	1600	NS/AC	—	—	—
17	050	12	8	OVC	30.18	69	67	10	1600	NS/AC	—	—	—
18	050	12	9	OVC	30.16	69	67	10	1600	NS/AC	—	—	—
19	050	12	9	OVC	30.18	68	66	10	1600	NS/AC	—	—	—
20	060	14	9	OVC	30.17	67	65	10	4500	AC	—	—	—
21	060	15	9	OVC	30.16	66	64	10	4500	AC	—	—	—
22	000	14	9	OVC	30.16	65	63	10	4500	AC	—	—	—
23	310	14	9	OVC	30.17	65	63	10	4500	AC	—	—	—
24	315	14	9	OVC	30.18	65	63	10	4500	AC	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

REMARKS

0⌀-04 MOORED STARBOARD SIDE PIER SIERRA BERTH FOUR, U.S. NAVAL STATION CHARLESTON, SOUTH CAROLINA. SOPA IS RADM ALES USN COMCRUDESFLOT SIX IN U.S.S. EVERGLADES (AD-24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE MODIFIED SET.

J.A. King
Ensign USNR

04-08 MOORED AS BEFORE. 0731 MUSTERED THE CREW AT QUARTERS. ABSENTEES: PARKER, J.L. BMSN 549-16-87, CARSICK, H.J. SR 593-82-26 USN, HANSEN, D.P. SN586-90-00 USN. 0735 SET SPECIAL SEA DETAIL.

J.A. King
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: A.A. Fiore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 24 (Date) MAY (Month), 19 63

0800-1200 MOORED AS BEFORE. 0800 MAKING PREPARATIONS FOR GETTING UNDERWAY. 0832 UNDERWAY IN ACCORDANCE WITH COMINCHANT. CAPTAIN & NAVIGATOR ON THE BRIDGE. 0833 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL TO THE DEGAUSSING RANGE. 0908 PASSED BENEATH GRACE MEMORIAL BRIDGE. 0921 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE RUNNING THE DEGAUSSING RANGE. 1025 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1121 COMPLETED RUNNING THE DEGAUSSING RANGE. 1127 SET SPECIAL SEA DETAIL. MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE RETURNING TO MINECRAFT BASE.

B.D. Taylor
ENS USNR.

1200-1600 STEAMING ~~MOORED~~ AS BEFORE 1213 MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MAKING PIER SIERRA, BERTH 4. 1222 MOORED PIER SIERRA, US NAVAL STATION, CHARLESTON S.C. 1243 SECURED THE SPECIAL SEA DETAIL AND SET THE REGULAR IN PORT WATCH. wj

W.H. Teal LTJG USNR

1600-2000 MOORED AS BEFORE

T. B. Marks ENS, USNR

2000-2400 MOORED AS BEFORE.

T. B. Marks ENS, USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SATURDAY 25 MAY (Day) (Date) (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	8	10	CLR	30.14	64	61	—	—	—	—	—	—
02	245	6	10	CLR	30.13	64	61	—	—	—	—	—	—
03	245	6	10	CLR	30.13	63	60	—	—	—	—	—	—
04	245	6	10	CLR	30.14	63	60	—	—	—	—	—	—
05	245	4	6	OVC	30.14	64	60	10	4500	AC	—	—	—
06	245	4	6	OVC	30.15	63	60	10	4500	AC	—	—	—
07	245	4	8	OVC	30.16	63	60	10	4500	AC	—	—	—
08	350	4	8	OVC	30.16	64	61	10	4500	AC/CU	—	—	—
09	000	4	8	OVC	30.16	66	61	10	4500	AC/CU	—	—	—
10	000	4	8	OVC	30.18	68	63	10	4500	AC/CU	—	—	—
11	000	4	8	OVC	30.18	68	64	10	4500	AC/CU	—	—	—
12	000	4	8	OVC	30.18	69	64	10	4500	AC/CU	—	—	—
13	000	4	8	OVC	30.17	70	66	10	4500	AC/CU	—	—	—
14	000	4	8	OVC	30.16	69	66	10	4500	AC/CU	—	—	—
15	000	4	8	OVC	30.14	69	65	10	4500	AC/CU	—	—	—
16	000	4	8	OVC	30.12	68	64	10	1600	NS	—	—	—
17	000	4	8	OVC	30.11	68	67	10	1600	NS	—	—	—
18	000	6	8	OVC	30.10	68	67	10	1600	NS	—	—	—
19	000	4	8	OVC	30.10	65	64	10	1600	NS	—	—	—
20	220	4	8	OVC	30.10	65	63	10	1600	NS	—	—	—
21	220	4	8	OVC	30.10	65	63	10	1600	NS	—	—	—
22	220	6	8	OVC	30.10	65	63	10	1600	NS	—	—	—
23	220	8	8	OVC	30.10	65	63	10	1600	NS	—	—	—
24	220	8	8	OVC	30.10	65	61	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA 4 AT U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS RADM J.W. AICES III, USN, COMCRUDESFLOT 6 IN USS EVERGLADES (AD-24). OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III AND MATERIAL CONDITION YOKE IS SET.

T. B. Marks ENS USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: CHESICK, M.T. SA 593 82 36; HANSEN, D.P. SN, 586-94 00; POMEROY, T.L. BMSN, 549-10-87.

T. B. Marks ENS USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: G.O. Fargo LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 SATURDAY (Day) 25 (Date) MAY (Month) 19 63

98-12 MOORED AS BEFORE. MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

B D Taylor Jr
ENS. USNR

12-16 MOORED AS BEFORE.

B D Taylor Jr
ENS. USNR

16-20 MOORED AS BEFORE.

B D Taylor Jr
ENS. USNR

20-24 MOORED AS BEFORE.

B D Taylor Jr
ENS. USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: A. A. Fiore Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE SUNDAY (Day) 26 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	3	8	OVC	30.06	65	62	10	1600	NS	—	—	—
02	—	—	6	L	30.04	66	62	10	1600	NS	—	—	—
03	—	—	8	L	30.02	66	62	10	1600	NS	—	—	—
04	260	6	9	OVC	30.02	66	62	10	1600	NS	—	—	—
05	260	4	9	BKN	30.01	66	62	8	1600	NS	—	—	—
06	260	6	9	BKN	30.01	67	63	9	1600	NS	—	—	—
07	220	6	9	OVC	30.02	67	63	10	1600	NS	—	—	—
08	230	8	10	OVC	30.03	68	67	10	1600	NS	—	—	—
09	230	8	10	OVC	30.04	68	67	10	1600	NS	—	—	—
10	230	8	10	OVC	30.04	68	67	10	1600	NS	—	—	—
11	230	8	10	OVC	30.04	68	67	10	1600	NS	—	—	—
12	230	5	10	OVC	30.02	69	67	10	1600	NS	—	—	—
13	230	5	8	OVC	30.02	70	67	10	1600	NS	—	—	—
14	230	5	8	OVC	30.02	70	67	10	1600	NS	—	—	—
15	230	5	8	OVC	30.02	70	67	10	1600	NS	—	—	—
16	005	6	8	OVC	30.04	70	67	10	1600	NS	—	—	—
17	005	8	8	OVC	30.03	70	67	10	1600	NS	—	—	—
18	005	8	8	OVC	30.01	69	67	10	1600	NS	—	—	—
19	005	8	8	OVC	30.01	69	67	10	1600	NS	—	—	—
20	—	—	10	CLR	30.02	69	67	—	—	—	—	—	—
21	—	—	10	CLR	30.04	69	67	—	—	—	—	—	—
22	—	—	10	CLR	30.04	69	67	—	—	—	—	—	—
23	—	—	10	CLR	30.04	66	63	—	—	—	—	—	—
24	—	—	10	CLR	30.04	62	60	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

0000 - 0400 MOORED STARBOARD SIDE TO PIER "5" - 4 AT U.S. NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: RADM. J. W. ALLEN, COMCRUDESFLOT SIX IN USS ENDERLADES. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RENDERING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

B. D. Daugherty Jr.
ENS. USNR.

0400 - 0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES: CHESICK, M. J., HANSEN D. P. AND POMEROY, J. L., AWOL SINCE 16 MAY 1963.

B. D. Daugherty Jr.
ENS. USNR.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. A. Fair LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLE Tug MSO-519 Sunday (Day) 26 (Date) MAY (Month), 19 63

0800-1200 MOORED AS BEFORE. 1050 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

B D Taylor Jr.
ENS. USNR

1200-1600 MOORED AS BEFORE. 1330 CONDUCTED FIRE DRILL. 1400 SECURED FROM FIRE DRILL.

B D Taylor Jr.
ENS. USNR

1600-2000 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

2000-2400 MOORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: C. A. Fiore, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5R DATE MONDAY (Day) 27 (Date) MAY (Month), 19 63

AT/PASSAGE ~~FROM~~ CHARLESTON, S.C. TO CHARLESTON OP-AREA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	8	OVC	30.02	68	66	10	4500	AC	—	—	—
02	—	—	8	OVC	30.02	68	66	10	4500	AC	—	—	—
03	—	—	8	OVC	30.02	68	66	10	4500	AC	—	—	—
04	225	4	8	OVC	30.01	67	64	10	4500	AC	—	—	—
05	225	6	9	OVC	30.01	67	64	10	4500	AC	—	—	—
06	225	4	9	BKN	30.01	67	64	7	4500	AC	—	—	—
07	—	—	9	BKN	30.03	67	64	7	4500	AC	—	—	—
08	090	10	9	OVC	30.04	69	65	10	4500	AC	—	—	—
09	090	10	9	OVC	30.05	72	67	10	4500	AC	75	—	—
10	085	15	9	OVC	30.04	71	67	10	4500	AC/CU	73	—	—
11	085	11	9	BKN	30.05	73	69	6	1600	CU/CI	73	050	1½
12	080	9	9	SCT	30.06	75	69	4	1600	CU/CI	73	050	1½
13	075	11	9	SCT	30.05	71	66	5	1600	CU/CI	79	050	1½
14	075	11	9	SCT	30.05	71	67	4	1600	CU/CI	79	065	2
15	075	12	9	SCT	30.04	73	67	4	1600	CU/CI	79	070	2
16	080	12	9	SCT	30.03	73	68	4	1600	CU/CI	80	070	2
17	080	13	9	SCT	30.03	74	70	4	1600	CU/CI	80	070	2
18	080	15	9	SCT	30.01	72	70	4	1600	CU/CI	—	—	—
19	080	15	9	SCT	30.00	70	67	4	1600	CU/CI	—	—	—
20	080	15	9	BKN	30.00	71	67	6	1600	CU/CI	—	—	—
21	090	10	9	SCT	30.04	71	67	5	1600	CU/CI	—	—	—
22	090	7	9	SCT	30.03	71	67	4	1600	CU	—	—	—
23	095	7	9	SCT	30.02	71	67	4	1600	CU	—	—	—
24	065	2	10	SCT	30.04	72	68	4	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 15.02

FUEL CONSUMED 0000-2400: 991

REMARKS

0000 - 0400 MOORED STARBOARD SIDE TO PIER "5" - 2 AT U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES doubled TO THE PIER. SOPA: ~~J. W.~~ RAdm. J. W. AILES, ComCruDesFlot SIX. ON USS ERGLADES. Ships PRESENT include VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS III WITH MATERIAL CONDITION YOKE SET.

B. D. Taylor Jr.
ENS. USN

0730

0400 - 0800 MOORED AS BEFORE. MUSTERED CREW AT QUARTERS. ABSENTEES: CHESICK M. J., HANSEN, D. P. AND POMEROY, J. L. AWOL SINCE 16 MAY 1963. 0735 SET SPECIAL SEA DETAIL. MAKING PREPARATION FOR GETTING UNDERWAY. CAPTAIN AND NAVIGATOR ON THE BRIDGE.

B. D. Taylor Jr.
ENS USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: O. A. Fare Jr. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Monday (Day) 27 (Date) May (Month), 19 63

0800-1200 MOORED AS BEFORE. 0800 UNDERWAY IN ACCORDANCE WITH COMINCHINST WEEKLY OPSKED. 0804 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF THE CHANNEL. 0833 PASSED UNDER GRACE MEMORIAL BRIDGE. 0853 SECURED SEA DETAIL. SET NORMAL UNDERWAY WATCH. 1000 SET COURSE 125°T SPEED 6.0 KTS. 1014 ENTERED INTERNATIONAL WATERS. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1142 C/C TO 240°T. 1145 C/C TO 260° C/S TO 9.0 KTS.

B D Taylor Jr.
ENS. USNR.

1200-1600 STEAMING AS BEFORE EXERCISING AT VARIOUS DRILLS.

J A Klug
Executive Officer

1600-2000 STEAMING AS BEFORE. 1612 SECURED FROM GENERAL DRILLS 1755 C/C TO 305°T C/S TO 8 KTS. 1809 MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MAKING PREPARATIONS TO ANCHOR. 1816 DROPPED ANCHOR IN 45 FT OF WATER, SAND BOTTOM, WITH 6 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR AT THE WATERS EDGE. ANCHORED ON WESTERN EDGE OF OP-AREA 8 ALFA. 1817 SECURED THE UNDERWAY WATCH AND SET THE ANCHOR WATCH.

W B Friell LTJG USNR.

2000 TO 2400 ANCHORED AS BEFORE.

B D Taylor Jr.
ENS. USNR

APPROVED: J A Klug Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore, LT. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE TUESDAY (Day) 28 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM CHARLESTON OP-AREA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	335	2	10	CLR	30.03	72	70	—	—	—	—	—	—
02	090	2	10	CLR	30.01	72	70	—	—	—	—	—	—
03	120	2	10	CLR	30.01	72	70	—	—	—	—	—	—
04	120	2	10	CLR	30.01	75	70	—	—	—	—	—	—
05	120	2	10	CLR	30.01	75	70	—	—	—	—	—	—
06	120	2	10	CLR	30.02	73	71	—	—	—	—	—	—
07	120	2	10	CLR	30.02	73	71	—	—	—	—	—	—
08	120	2	10	CLR	30.06	74	71	—	—	—	—	—	—
09	120	2	10	CLR	30.06	80	75	—	—	—	74	—	—
10	120	2	10	CLR	30.06	80	75	—	—	—	75	—	—
11	105	2	10	SCT	30.06	82	75	4	1600	CU	75	—	—
12	105	7	10	SCT	30.05	82	75	4	1600	CU	75	085	1
13	105	9	10	SCT	30.04	82	75	4	1600	CU	75	090	1
14	105	9	10	SCT	30.04	83	76	4	1600	CU	75	090	1
15	105	9	10	SCT	30.04	83	76	4	1600	CU/CI	75	090	1
16	105	9	10	SCT	30.04	83	76	4	1600	CU/CI	75	090	1
17	105	9	9	SCT	30.04	83	76	4	1600	CU/CI	—	—	—
18	235	7	9	SCT	30.03	80	75	4	1600	CU	—	—	—
19	235	6	9	SCT	30.02	77	72	4	1600	CU	—	—	—
20	235	6	9	BKN	30.00	73	70	7	1600	CU	—	—	—
21	235	6	9	BKN	30.00	74	70	7	1600	CU	—	—	—
22	235	4	9	SCT	30.02	74	70	5	1600	CU	—	—	—
23	235	4	9	SCT	30.02	74	70	4	1600	CU	—	—	—
24	175	4	9	SCT	30.01	74	70	5	1600	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 48.06

FUEL CONSUMED 0000-2400: 691

REMARKS

04-04 ANCHORED IN 48 FEET OF WATER WITH 60 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR, SAND/SHELL BOTTOM, ON THE FOLLOWING BEARING: CHARLESTON LIGHT 313°T. SOPA IS TI HUTTINGER, CTMSN. IN THIS SHIP. SHIP IS IN MATERIAL CONDITION YOKE WITH CONDITION OF READINESS II SET.

J.H. King
Engineer

0400-0800 ANCHORED AS BEFORE 0730 SET THE SPECIAL SEA AND ANCHOR DETAIL AND MADE ALL NECESSARY PREPARATIONS FOR GETTING UNDERWAY. MUSTERED THE CREW ON STATION, ABSENTEES WERE: CHESICK, M.J. SA, 593-52-26, POMEROY J.L. SN, 549-10-87, WATSON D.P. SN 586 90-00, AWOL SINCE 16 MAY 1963. 0754 COMMENCED HEAVING IN ON ANCHOR, CAPTAIN AND NAVIGATOR ON THE BRIDGE.

A.A. Friel LTJG USNR

APPROVED: J. Hutchinger U.S.N. COMMANDING

EXAMINED: A.A. Forsyth LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 TUESDAY (Day) 28 (Date) MAY (Month), 19 63

Ø8-12 ANCHORED AS BEFORE. Ø8ØØ UNDERWAY FROM ANCHORAGE. Ø8Ø2 ANCHOR CHAIN PARTED AND LOST STBD ANCHOR. Ø81Ø MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING SONAR SEARCH FOR ANCHOR. 1ØIØ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 1Ø4Ø ANCHOR LOCATED AND BROUGHT ABOARD. RECEIVING MOTOR WHALE BOAT ALONG SIDE. 11Ø8 SET COURSE 28Ø° T SPEED 1Ø.Ø KTS. 1112 C/C TO 26Ø°T. 1145 C/C TO Ø4Ø° C/S TO 4 KTS.

B. D. Taylor Jr.
ENS. USNR

12-16 STEAMING AS BEFORE. 123Ø SET REPLENISHMENT DETAIL, MANEUVERING TO APPROACH U.S.S. SALUTE (MSO-47Ø) ON STARBOARD HAND. 1337 FIRST LINE OVER FROM U.S.S. SALUTE. 135Ø ALL LINES CLEAR. 1355 SECURED DETAIL. SET REGULAR UNDERWAY WATCH. 1443. EXERCISED THE CREW AT GENERAL QUARTERS. 1455 COMMENCED 4Ø MM FIRE FOR TEST AND TRAINING. 1533 CEASED FIRE.

J. P. King
ENS. USNR

16-24 STEAMING AS BEFORE. 1614 SECURED FROM GENERAL QUARTERS. 1638 CONDUCTED MAN OVERBOARD DRILL, MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE RECOVERING MAN. 1738 C/C 24Ø°T @ 11.5 KTS. 1814 ANCHORED IN OP-AREA 7, 44 FT OF WATER, SAND BOTTOM, WITH 45 FATHOMS OF CHAIN TO THE PORT ANCHOR AT THE WATERS EDGE, ON THE FOLLOWING BEARING: CHASN LIGHT 334°T. 1825 SECURED THE UNDERWAY WATCH AND SET THE REGULAR ANCHOR WATCH.

W. C. Hill LTJG USNR.

24-24 ANCHORED AS BEFORE.

B. D. Taylor Jr.
ENS. USNR

APPROVED: J. B. Hamilton Jr. U.S.N. COMMANDING

EXAMINED: A. A. Fiore Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5R DATE WEDNESDAY (Day) 29 (Date) MAY (Month), 19 63

AT/~~PASSAGE~~ FROM CHARLESTON OP-AREAS TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	175	4	10	SCT	30.01	74	70	5	1600	CU	—	—	—
02	190	4	10	SCT	30.01	69	66	5	1600	CU	—	—	—
03	190	4	10	SCT	29.99	68	63	5	1600	CU	—	—	—
04	190	4	10	SCT	29.99	68	63	5	1600	NS	—	—	—
05	190	4	10	SCT	29.99	68	63	5	1600	NS	—	—	—
06	190	2	10	SCT	30.01	71	67	5	1600	NS	—	—	—
07	040	2	10	SCT	30.02	72	67	5	1600	NS	—	—	—
08	070	2	8	SCT	30.02	76	70	5	1600	NS	—	—	—
09	070	2	8	BKN	30.02	77	70	6	1600	NS	—	—	—
10	070	2	8	BKN	30.02	80	73	7	1600	NS	—	—	—
11	140	3	9	SCT	30.01	80	73	5	1600	CU/CI	—	—	—
12	175	5	10	BKN	30.00	81	77	6	1600	CU/CI	—	—	—
13	200	9	11	BKN	29.97	81	78	6	1600	CU/CI	76	—	—
14	210	7	10	BKN	29.94	81	78	6	1600	CU/NS	76	—	—
15	220	7	10	BKN	29.92	81	78	7	1600	CU/NS	76	—	—
16	295	6	6	T	29.94	75	72	10	1600	NS	76	—	—
17	195	6	6	T	29.93	75	72	10	1600	NS	—	—	—
18	195	6	6	T	29.23	75	71	10	1600	NS	—	—	—
19	195	6	6	T	29.97	75	71	10	1600	NS	—	—	—
20	200	4	6	OVC	29.95	75	71	10	1600	NS	—	—	—
21	200	4	6	OVC	29.95	76	72	10	1600	NS	—	—	—
22	200	4	6	OVC	29.95	76	72	10	1600	NS	—	—	—
23	200	4	6	OVC	29.95	76	72	10	1600	NS	—	—	—
24	200	4	6	OVC	29.96	75	72	10	1600	NS	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 14.17

FUEL CONSUMED 0000-2400: 691

REMARKS

04-04 ANCHORED IN 44 FEET OF WATER WITH 45 FATHOMS OF CHAIN TO THE PORT ANCHOR, WHITE CORAL BOTTOM, ON THE FOLLOWING BEARINGS: CHARLESTON LIGHT 334°T. SOAR IS LCDR SHEETS USN IN U.S.S. SALUTE (MSO-476) SHIP IS IN CONDITION OF READINESS IV WITH MODIFIED MATERIAL CONDITION YOKE SET.

J. H. King
Ensign USNR

04-08 ANCHORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS ABSENTEES WERE: CHESICK, M.J., SA, 593-82-26, POMEROY J.L. SN 549-10-97, HANSON D.P. SN, 586-90-00, AWOL SINCE 16 MAY 1963

C. W. Powell LTJG USNR

APPROVED: J. H. Cunningham U.S.N. COMMANDING

EXAMINED: A. A. Fore, LT. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSC-510) WEDNESDAY (Day) 29 (Date) MAY (Month), 19 63

Ø8-12 ANCHORED AS BEFORE. Ø835 EXERCISED AT GENERAL DRILLS. 1106 EXERCISED AT GENERAL QUARTERS.

J. H. King
Lieutenant USNR

12-16 ANCHORED AS BEFORE. 1230 SECURED FROM GENERAL QUARTERS. 1239 SET SEA DETAIL. SECURED ANCHOR WATCH. 1309 ANCHOR DWEIGH. 1310 C/C 180°T. 1315 C/S TO 6 KNOTS. 1325 MANEUVERING ON VARIOUS COURSES WHILE SWINGING SHIP. 1444 SECURED UNDERWAY WATCH. SET SEA DETAIL. 1455 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL IN CHARLESTON HARBOR.

J. H. King
Lieutenant USNR

16-20 STEAMING AS BEFORE. 1655 HOOKED STARBOARD SIDE TO PIER SIERRA BERTH ~~FOUR~~ FOUR AT U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. 1705 POWERS, J.L. BMSN 549-10-87 USN; CHESICK, M.J. SR 593-82-26; HANSEN, D.P. SN 586-90-00 USN REPORTED ABOARD HAVING BEEN ABSENT WITHOUT LEAVE FOR A PERIOD OF 6 DAYS 14 HOURS 30 MINUTES.

J. H. King
Lieutenant USNR

20-24 HOOKED AS BEFORE.

J. H. King
Lieutenant USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: O. A. Fire, LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION 5R DATE THURSDAY (Day) 30 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	4	8	OVC	29.96	75	73	10	1600	CU	—	—	—
02	200	4	8	OVC	29.93	75	73	10	1600	CU	—	—	—
03	200	4	8	OVC	29.93	70	73	10	1600	CU	—	—	—
04	220	4	8	OVC	29.92	72	70	10	1600	CU	—	—	—
05	220	3	8	OVC	29.92	72	69	10	1600	CU	—	—	—
06	230	3	8	OVC	29.92	72	69	10	1600	CU	—	—	—
07	230	3	8	OVC	29.93	72	69	10	1600	CU	—	—	—
08	230	3	8	OVC	29.93	72	69	10	1600	CU	—	—	—
09	240	5	9	OVC	29.96	73	70	10	1600	CU	—	—	—
10	240	5	9	OVC	30.00	73	70	10	1600	CU	—	—	—
11	230	4	9	OVC	29.95	73	70	10	1600	CU	—	—	—
12	230	2	8	OVC	29.95	77	73	10	1600	CU	—	—	—
13	230	2	8	OVC	29.94	77	76	10	1600	CU	—	—	—
14	230	2	8	OVC	29.92	82	78	10	1600	CU	—	—	—
15	230	2	8	OVC	29.90	84	80	10	1600	CU	—	—	—
16	230	3	7	OVC	29.90	83	76	10	1600	NS	—	—	—
17	225	4	7	L	29.90	81	75	10	1600	NS	—	—	—
18	140	7	8	OVC	29.90	78	74	10	1600	NS/CU	—	—	—
19	140	7	8	OVC	29.90	77	74	10	1600	NS/CU	—	—	—
20	140	3	8	OVC	29.92	77	74	10	1600	NS/CU	—	—	—
21	140	3	8	OVC	29.93	75	73	10	1600	NS/CU	—	—	—
22	175	5	8	BKN	29.93	74	72	7	1600	NS/CU	—	—	—
23	190	5	8	BKN	29.93	71	69	6	1600	NS/CU	—	—	—
24	190	5	8	BKN	29.92	70	68	7	1600	NS/CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
—

FUEL CONSUMED 0000-2400
—

REMARKS

0000-04 MOORED STARBOARD SIDE TO PIER SIERRA BERTH FOUR, U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS RADM JULES USA COMCRUDESFLOT SIX IN U.S.S. EVERGLADES (AD-24). SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MODIFIED MATERIAL CONDITION YOKE SET.

J.H. King
Ensign USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J.H. King
Ensign USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: A.A. Fiore LT. U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 THURSDAY (Day) 30 (Date) MAY (Month), 19 1963

0800-1200 MOORED AS BEFORE. 0930 MONTHLY INSPECTION OF MAGAZINES AND SHOKERS POWDER SAMPLES. CONDITIONS: NORMAL

J. H. Kinney
Ensign USNR

1200-1600 MOORED AS BEFORE.

J. H. Kinney
Ensign USNR

1600-2400 MOORED AS BEFORE.

J. H. Kinney
Ensign USNR

2400-2400 MOORED AS BEFORE.

J. H. Kinney
Ensign USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: R. A. Faro, Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION +5 DATE FRIDAY (Day) 31 (Date) MAY (Month), 19 63

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	055	9	10	CLR	30.10	69	61	—	—	—	—	—	—
02	060	8	10	CLR	30.10	69	60	—	—	—	—	—	—
03	060	7	10	CLR	30.10	68	59	—	—	—	—	—	—
04	060	10	10	CLR	30.11	66	60	—	—	—	—	—	—
05	060	10	10	BKN	30.14	65	58	6	4500	AC	—	—	—
06	030	6	10	BKN	30.16	65	59	6	4500	AC	—	—	—
07	030	6	10	BKN	30.16	68	60	6	4500	AC	—	—	—
08	030	6	10	BKN	30.16	71	62	6	4500	AC	—	—	—
09	040	6	10	BKN	30.16	73	63	6	4500	AC	—	—	—
10	050	6	10	BKN	30.17	76	65	6	4500	AC	—	—	—
11	070	5	10	SCT	30.18	76	65	4	4500	AC	—	—	—
12	075	5	10	SCT	30.18	77	65	4	4500	AC	—	—	—
13	045	5	10	SCT	30.16	80	65	4	4500	AC	—	—	—
14	035	7	10	SCT	30.14	79	70	4	4500	AC	—	—	—
15	060	10	10	SCT	30.13	78	66	4	4500	AC	—	—	—
16	060	8	10	SCT	30.12	78	66	4	4500	AC	—	—	—
17	070	5	10	SCT	30.13	77	66	4	4500	AC	—	—	—
18	060	5	10	SCT	30.13	75	66	4	4500	AC	—	—	—
19	060	8	10	CLR	30.14	74	66	—	—	—	—	—	—
20	070	4	10	CLR	30.14	72	66	—	—	—	—	—	—
21	080	10	10	CLR	30.14	73	66	—	—	—	—	—	—
22	075	10	10	CLR	30.13	73	66	—	—	—	—	—	—
23	070	10	10	CLR	30.13	72	65	—	—	—	—	—	—
24	060	10	10	CLR	30.10	70	64	—	—	—	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

—

FUEL CONSUMED 0000-2400

—

REMARKS

04-04 MOORED STARBOARD SIDE TO PIER SIERRA, BERTH FOUR AT U.S. NAVAL STATION, CHARLESTON, S.C. SOPA IS BAKER PILES, COMCRUDESFLOT SIX IN U.S.S. EVERGLADES (AD-24) SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MODIFIED MATERIAL CONDITION YOKE SET.

J. H. King
Lt. (jg) USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. H. King
Lt. (jg) USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI MSO-519 FRIDAY (Day) 31 (Date) MAY (Month), 19 63

R-12 MOORED AS BEFORE, 0931 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLER SYSTEM, CONDITIONS SATISFACTORY.

W O Snell LTJG USNR

R-16 MOORED AS BEFORE.

W O Snell LTJG USNR

16-20 MOORED AS BEFORE.

W O Snell LTJG USNR.

20-24 MOORED AS BEFRE.

W O Snell LTJG USNR

APPROVED: J. Hartung Jr U.S.N. COMMANDING

EXAMINED: A A Fiore Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

C